

Tesla

Electrical Components
switch to the **Future**

Product Catalogue

2020



CONTENTS

DOMESTIC BAKELITE & ACCESSORIES

CIRCUIT PROTECTION

SMOKE ALARMS, SENSORS

DISTRIBUTION BOARDS

ENCLOSURES

INDUSTRIAL SWITCHGEAR

VENTILATION FANS

AUTOMATION CONTROL

INDUSTRIAL SWITCHES

LIMIT, FLOAT, FOOT SWITCHES

WARNING LIGHTS, STROBE, SIRENS

SWITCHBOARD ACCESSORIES

STORAGE CASES

TOOLS

CONDUIT FITTINGS

FIXINGS, ANCHORS, WALL MATES & WALL PLUGS

CARAVAN SUPPLIES

LARGE DOLLY SWITCHES AND POWER POINTS

LAY5 PUSH BUTTON & INDICATOR SERIES



DOMESTIC BAKELITE & ACCESSORIES

CLASSIC GPO'S AND SWITCHES

Standard Series 10 & 15 Amp Power Points.

Standard Colour White Electric, also available in Black and Red.

Also GPO2 available in Double pole.



GPO2

10 Amp Double GPO

Split Qty	10
Carton Qty	100

NEW

GPO2/15

15 Amp Double GPO

Split Qty	10
Carton Qty	100

WGPO2D

10 A GPO2 Double Pole

Split Qty	10
Carton Qty	100

GPO2X

10 Amp GPO2 ex Switch

Split Qty	10
Carton Qty	100

NEW

GPO2/USB

2 x 2.1 Amp (3.1 A Max) USB GP02

Split Qty	1
Carton Qty	60

NEW

GPO2/USB/BLK

2 x 2.1 Amp (3.1 A Max) USB GP02 BLACK

Split Qty	1
Carton Qty	60

Standard Series

10 Amp, 15 Amp, 20 Amp, 25 Amp,
32 Amp Single GPO

Standard Colour White Electric, also available in Black and Red.




GPO1
10 Amp Single GPO1

Split Qty	10
Carton Qty	100



GPO1/15
15 Amp Single GPO1

Split Qty	10
Carton Qty	100



GPO1/20
20 Amp Single GPO1

Split Qty	10
Carton Qty	100



GPO1X
10 Amp Single GPO1 ex Switch

Split Qty	10
Carton Qty	100



GPO1/25

Split Qty	10
Carton Qty	100



GPO1/32

Split Qty	10
Carton Qty	100

Standard Series

10 Amp VERTICAL Power Point



GPO2V
10 Amp Double GPO2 Vertical

Split Qty	10
Carton Qty	100



GPO2xV
10 Amp GPO2, ex Sw Vertical

Split Qty	10
Carton Qty	100



GPO1V
10 Amp Single, GPO Vertical

Split Qty	10
Carton Qty	100

HORIZONTAL & VERTICAL SWITCHES

STANDARD SERIES

Standard Series – 16 Amp Switches Horizontal.

Standard Colour White Electric, also available in Black and Red.



SW1 One Gang Switch

Split Qty	10
Carton Qty	100



SW2 Two Gang Switch

Split Qty	10
Carton Qty	100



SW3 Three Gang Switch

Split Qty	10
Carton Qty	100



SW4 Four Gang Switch

Split Qty	10
Carton Qty	100



SW5 Five Gang Switch

Split Qty	10
Carton Qty	100



SW6 Six Gang Switch

Split Qty	10
Carton Qty	100

Standard Series – 16 Amp Switches Vertical.

Standard Colour White Electric, also available in Black and Red.



SW1V
One Gang Switch

Split Qty	10
Carton Qty	100



SW2V
Two Gang Switch

Split Qty	10
Carton Qty	100



SW3V
Three Gang Switch

Split Qty	10
Carton Qty	100



SW4V
Four Gang Switch

Split Qty	10
Carton Qty	100



SW5V
Five Gang Switch

Split Qty	10
Carton Qty	100



SW6V
Six Gang Switch

Split Qty	10
Carton Qty	100

CLASSIC TV AND DATA OUTLETS

RJ45 data socket for use with CAT5E cable.
CAT6 data socket for use with CAT6E cable.
RJ11 telephone socket complete with screwed terminal block for easy installation.
TVA coax socket for Standard Antenna connection complete with RG6 F -type crimp plug.
TVFA coax socket for PAY TV connection.



CAT6E
CAT6 Data Outlet

Split Qty	10
Carton Qty	100



TVA
TV Outlet

Split Qty	10
Carton Qty	100



TVFA
PAY TV Outlet

Split Qty	10
Carton Qty	100




RJ11A
Telephone Outlet

Split Qty	10
Carton Qty	100



RJ45A
Data Outlet

Split Qty	10
Carton Qty	100



BPT
Blank Plate

Split Qty	25
Carton Qty	250



BWPR
Bullnose Wall Plate Reverse

Split Qty	1
Carton Qty	100



BWP
Bullnose Wall Plate

Split Qty	1
Carton Qty	100

CLASSIC GRID PLATES, METAL AND PLASTIC COVERS

Standard Series Unloaded Switch plates.

Available in Blank and one to six gang.
Comes complete with Grids.



SW1PL

Split Qty	25
Carton Qty	250



SW2PL

Split Qty	25
Carton Qty	250



SW3PL

Split Qty	25
Carton Qty	250



SW4PL

Split Qty	25
Carton Qty	250



SW5PL

Split Qty	25
Carton Qty	250



SW6PL

Split Qty	25
Carton Qty	250



MATT SILVER

MS- Matt Silver Metal
MS/SW1, SW2, SW3, SW4, SW5, SW6
MS/GPO1, GPO2, GPO1X, GPO2X, BPT

SP- Matt Silver Plastic
SP/SW1, SW2, SW3, SW4, SW5, SW6
SP/GPO1, GPO2, GPO1X, GPO2X, BPT



CHROME

CH- Chrome Metal
CH/SW1, SW2, SW3, SW4, SW5, SW6
CH/GPO1, GPO2, GPO1X, GPO2X, BPT



GOLD

MG- Gold Metal
MG/SW1, SW2, SW3, SW4, SW5, SW6
MG/GPO1, GPO2, GPO1X, GPO2X, BPT

CLASSIC GPO'S AND SWITCHES - BLACK

Black Range Power Points and Switches.



GPO2/BLK

Split Qty	10
Carton Qty	100



GPO2X/BLK

Split Qty	10
Carton Qty	100



GPO1/BLK

Split Qty	10
Carton Qty	100



WGPO2D/BLK

Split Qty	10
Carton Qty	100



SW1/BLK

Split Qty	10
Carton Qty	100



SW2/BLK

Split Qty	10
Carton Qty	100



SW3/BLK

Split Qty	10
Carton Qty	100



SW4/BLK

Split Qty	10
Carton Qty	100



SW5/BLK

Split Qty	10
Carton Qty	100



SW6/BLK

Split Qty	10
Carton Qty	100



BPT/BLK

Split Qty	25
Carton Qty	250

SLIMLINE GPO'S AND SWITCHES

SLIMLINE Series 10 Amp Power Points.

Standard Colour White Electric, also available in Black.

Single GPO available in 15 Amp.



N/GPO2

10 Amp Double GPO

Split Qty	10
Carton Qty	100



N/GPO1

10 Amp Single GPO1

Split Qty	10
Carton Qty	100



N/GPO1/15

15 Amp Single GPO1

Split Qty	10
Carton Qty	100



N/GPO2X

10 Amp GPO2 ex Switch

Split Qty	10
Carton Qty	100

SLIMLINE GPO'S AND SWITCHES

SLIMLINE N Series 16 Amp Switches Horizontal.

Standard Colour White Electric, also available in Black.



N/SW1

One Gang Switch

Split Qty	10
Carton Qty	100



N/SW2

Two Gang Switch

Split Qty	10
Carton Qty	100



N/SW3

Three Gang Switch

Split Qty	10
Carton Qty	100



N/SW4

Four Gang Switch


Split Qty	10
Carton Qty	100



N/SW5

Five Gang Switch

Split Qty	10
Carton Qty	100



N/SW6

Six Gang Switch

Split Qty	10
Carton Qty	100

SLIMLINE N Series 16 Amp Switches Vertical.

Standard Colour White Electric, also available in Black.



N/SW1V

One Gang Switch

Split Qty	10
Carton Qty	100



N/SW2V

Two Gang Switch

Split Qty	10
Carton Qty	100



N/SW3V

Three Gang Switch

Split Qty	10
Carton Qty	100



N/SW4V

Four Gang Switch

Split Qty	10
Carton Qty	100



N/SW5V

Five Gang Switch

Split Qty	10
Carton Qty	100



N/SW6V

Six Gang Switch

Split Qty	10
Carton Qty	100

SLIMLINE TV AND DATA OUTLETS

- RJ45 data socket for use with CAT5E cable.
- CAT6 data socket for use with CAT6E cable
- RJ11 telephone socket complete with screwed terminal block for easy installation.
- TVA coax socket for standard antenna connection complete with RG6 F -type crimp plug.
- TVFA coax socket for PAY TV connection.





N/CAT6E
CAT6 Data Outlet

Split Qty	10
Carton Qty	100



N/TVA
TV Outlet

Split Qty	10
Carton Qty	100



N/TVFA
PAY TV Outlet

Split Qty	10
Carton Qty	100




N/RJ11A
Telephone outlet

Split Qty	10
Carton Qty	100



N/RJ45A
Data Outlet

Split Qty	10
Carton Qty	100



N/BPT
Blank Plate

Split Qty	25
Carton Qty	250

SLIMLINE GRID PLATES, METAL AND PLASTIC COVERS

Standard Series Unloaded Switch plates.

Available in blank and one to six gang.
Comes complete with grids.



N/SW1PL

Split Qty	25
Carton Qty	250



N/SW2PL

Split Qty	25
Carton Qty	250



N/SW3PL

Split Qty	25
Carton Qty	250



N/SW4PL

Split Qty	25
Carton Qty	250



N/SW5PL

Split Qty	25
Carton Qty	250



N/SW6PL

Split Qty	25
Carton Qty	250



MATT SILVER

SCM- Matt Silver Metal
SCM/SW1, SW2, SW3, SW4, SW5, SW6
SCM/GPO1, GPO2, GPO1X, GPO2X, BPT

SCP- Matt Silver Plastic
SCP/SW1, SW2, SW3, SW4, SW5, SW6
SCP/GPO1, GPO2, GPO1X, GPO2X, BPT



CHROME

CCM- Chrome Metal
CCM/SW1, SW2, SW3, SW4, SW5, SW6
CCM/GPO1, GPO2, GPO1X, GPO2X, BPT



GOLD

GCM- Gold Metal
GCM/SW1, SW2, SW3, SW4, SW5, SW6
GCM/GPO1, GPO2, GPO1X, GPO2X, BPT

SLIMLINE GPO'S AND SWITCHES - BLACK

Slimline Black Range
10 Amp Power Points
and Switches.



N/GPO2/BLK

Split Qty	10
Carton Qty	100



N/GPO2X/BLK

Split Qty	10
Carton Qty	100



N/GPO1/BLK

Split Qty	10
Carton Qty	100



N/SW1/BLK

Split Qty	10
Carton Qty	100



N/SW2/BLK

Split Qty	10
Carton Qty	100



N/SW3/BLK

Split Qty	10
Carton Qty	100



N/SW4/BLK

Split Qty	10
Carton Qty	100



N/SW5/BLK

Split Qty	10
Carton Qty	100



N/SW6/BLK

Split Qty	10
Carton Qty	100



N/BPT/BLK

Split Qty	25
Carton Qty	250

CRYSTAL GPO'S AND SWITCHES

NEW
Crystal Range
White/Silver
GPO's and Switches.



GPO2/DS

Split Qty	10
Carton Qty	100



GPO2X/DS

Split Qty	10
Carton Qty	100



GPO1/DS

Split Qty	10
Carton Qty	100



SW1/DS

Split Qty	10
Carton Qty	100



SW2/DS

Split Qty	10
Carton Qty	100



SW3/DS

Split Qty	10
Carton Qty	100



SW4/DS

Split Qty	10
Carton Qty	100



SW5/DS

Split Qty	10
Carton Qty	100



SW6/DS

Split Qty	10
Carton Qty	100

CRYSTAL GPO'S AND SWITCHES - BLACK

NEW

Crystal Range
Black on Black
GPO's and Switches.




GPO2/DB

Split Qty	10
Carton Qty	100



GPO2X/DB

Split Qty	10
Carton Qty	100



GPO1/DB

Split Qty	10
Carton Qty	100



SW1/DB

Split Qty	10
Carton Qty	100



SW2/DB

Split Qty	10
Carton Qty	100



SW3/DB

Split Qty	10
Carton Qty	100



SW4/DB

Split Qty	10
Carton Qty	100



SW5/DB

Split Qty	10
Carton Qty	100



SW6/DB

Split Qty	10
Carton Qty	100

316 STAINLESS STEEL POWER POINTS AND SWITCHES

NEW
Stainless Steel GPO's
and Switches - White.



GPO2/SS/WH
10 Amp Double GPO

Split Qty	10
Carton Qty	100



GPO2X/SS/WH
10 Amp GPO2 ex Switch

Split Qty	10
Carton Qty	100



GPO1/SS/WH
10 Amp Single GPO

Split Qty	10
Carton Qty	100



SW1/SS/WH
One Gang Switch

Split Qty	10
Carton Qty	100



SW2/SS/WH
Two Gang Switch

Split Qty	10
Carton Qty	100



SW3/SS/WH
Three Gang Switch

Split Qty	10
Carton Qty	100



SW4/SS/WH
Four Gang Switch

Split Qty	10
Carton Qty	100



SW5/SS/WH
Five Gang Switch

Split Qty	10
Carton Qty	100



SW6/SS/WH
Six Gang Switch

Split Qty	10
Carton Qty	100

316 STAINLESS STEEL POWER POINTS AND SWITCHES - BLACK

NEW

Stainless Steel GPO's
and Switches – Black.



GPO2/SS/BLK

10 Amp Double GPO

Split Qty	10
Carton Qty	100



GPO2X/SS/BLK

10 Amp GPO2 ex Switch


Split Qty	10
Carton Qty	100



GPO1/SS/BLK

10 Amp Single GPO


Split Qty	10
Carton Qty	100



SW1/SS/BLK

One Gang Switch


Split Qty	10
Carton Qty	100



SW2/SS/BLK

Two Gang Switch

Split Qty	10
Carton Qty	100



SW3/SS/BLK

Three Gang Switch


Split Qty	10
Carton Qty	100



SW4/SS/BLK

Four Gang Switch

Split Qty	10
Carton Qty	100



SW5/SS/BLK

Five Gang Switch

Split Qty	10
Carton Qty	100



SW6/SS/BLK

Six Gang Switch

Split Qty	10
Carton Qty	100

BAKELITE SUNDRIES

Architrave Switches.



WSA1

Architrave One Gang Switch

Split Qty	25
Carton Qty	100



WSA2

Architrave Two Gang Switch

Split Qty	25
Carton Qty	100



WSA3

Architrave Three Gang Switch

Split Qty	25
Carton Qty	100



WSA4

Architrave Four Gang Switch

Split Qty	25
Carton Qty	100

GPO4 Standard Range.



GPO4

Split Qty	5
Carton Qty	50



GPO4/BLK

Split Qty	5
Carton Qty	50

Tradesman Power Pack.

Heavy Duty with 30mA electronic RCD/MCB.



TPO4W/DP

Four Switched Socket
10 Amp Double Pole

Split Qty	1
Carton Qty	12

TPO4W/15

Four Switched Socket
15 Amp

Split Qty	1
Carton Qty	8

Rewireable Plug and Sockets.



RP10TB	
Rewireable 3 Pin Plug Transparent 10 Amp	
Split Qty	10
Carton Qty	100

RP15TB	
Rewireable 3 Pin Plug Transparent 15 Amp	
Split Qty	10
Carton Qty	100



RS10TB	
Rewireable 3 Pin Socket Transparent 10 Amp	
Split Qty	10
Carton Qty	100

RS15TB	
Rewireable 3 Pin Socket Transparent 15 Amp	
Split Qty	10
Carton Qty	100

NEW



SPP10	
Suspended Switched Socket 10 Amp	
Split Qty	1
Carton Qty	100

SPP15	
Suspended Switched Socket 15 Amp	
Split Qty	1
Carton Qty	100

SWITCH MECHANISMS

Mechanism 16 Amp.

Standard and Slimline N Series Mechanisms.

1 way/2 way switching 16 Amp.

To suit Standard and Slimline range.



SM16

Split Qty	25
Carton Qty	250



BELLM

Split Qty	25
Carton Qty	250



HEATM

Split Qty	25
Carton Qty	250



FANM

Split Qty	25
Carton Qty	250



LIGHTM

Split Qty	25
Carton Qty	250



AIRCONM

Split Qty	25
Carton Qty	250



ZONE1M

Split Qty	25
Carton Qty	250



ZONE2M

Split Qty	25
Carton Qty	250



BEDM

Split Qty	25
Carton Qty	250



BED2M

Split Qty	25
Carton Qty	250



BED3M

Split Qty	25
Carton Qty	250



BED4M

Split Qty	25
Carton Qty	250




LOUNGEM

Split Qty	25
Carton Qty	250



LIVINGM

Split Qty	25
Carton Qty	250



STUDYM

Split Qty	25
Carton Qty	250



SPLITM

Split Qty	25
Carton Qty	250



INTM

Split Qty	25
Carton Qty	250



AMBER

Split Qty	25
Carton Qty	250



GREEN

Split Qty	25
Carton Qty	250



RED

Split Qty	25
Carton Qty	250



Mechanism 32 Amp.

Standard and Slimline N Series Mechanisms

1 way/2 way switching 16 Amp.

To suit Standard and Slimline range.



DP 35M

Split Qty	25
Carton Qty	250



RANGEM

Split Qty	25
Carton Qty	250



OVENM

Split Qty	25
Carton Qty	250



HOTM

Split Qty	25
Carton Qty	250

DATA, TV, TELEPHONE MECHANISMS

Standard and Slimline N Series.

CAT6 and RJ45 Mechanism.

Standard Coax TV Mechanism complete with RG6 male crimp lug.

RJ11 Socket mechanism.



CAT6M

Split Qty	25
Carton Qty	250



TVFM

Split Qty	25
Carton Qty	250



TVM

Split Qty	25
Carton Qty	250



RJ45M

Split Qty	25
Carton Qty	250



RJ11M

Split Qty	25
Carton Qty	250



HDMIM

Split Qty	25
Carton Qty	250



USB-C1424

Split Qty	1
Carton Qty	250

Dimmer Mechanism.



DM400

Trailing Edge phase control dimmer suitable for electronic transformers and dimmable LED drivers

Split Qty	1
Carton Qty	10



DM400T

Trailing Edge Touch Dimmer

Split Qty	1
Carton Qty	10



FAN_DM

3 speed 75VA Fan Controller

Split Qty	1
Carton Qty	10

Gel Filled Wire Connectors.




TM-2301

Split Qty	100
Carton Qty	1000



TM-2303

Split Qty	100
Carton Qty	1000



TM-2304

Split Qty	100
Carton Qty	1000

BAKELITE ACCESSORIES



SS/CS Clear Lid

Surface Socket 10 Amp

Split Qty	10
Carton Qty	100



SSD

Double Surface Socket

Split Qty	10
Carton Qty	200



CR

Ceiling Rose 15 Amp


Split Qty	16
Carton Qty	160



BH

Batten Holder


Split Qty	10
Carton Qty	100



BHP

Batten Holder c/o plug

Split Qty	10
Carton Qty	100



JBL

J- Box Large

Split Qty	10
Carton Qty	100



JBS

J- Box Small


Split Qty	10
Carton Qty	200



MJB3

Mini J Box with 3 Tunnel

Split Qty	10
Carton Qty	100



MB16 / MB18

Mount Block 16mm
Mount Block 18mm

Split Qty	10
Carton Qty	200



MB34

Mount Block 34mm


Split Qty	10
Carton Qty	100



MB34/BLK

W/P Mounting Block


Split Qty	10
Carton Qty	100



MBGPO4/16

Mounting Block for GPO4 16mm


Split Qty	10
Carton Qty	100



MBGPO416/BLK

Mounting Block for GPO4 16mm
Black


Split Qty	10
Carton Qty	100



MBGPO4/25

Mounting Block for GPO4 25mm

Split Qty	10
Carton Qty	100



MBGPO425/BLK

Mounting Block for GPO4 25mm
Black

Split Qty	10
Carton Qty	100



SF80

Service Fuse BACK Wired

Split Qty	10
Carton Qty	40



SF80 F

Service Fuse FRONT Wired

Split Qty	10
Carton Qty	40



FUSE80

Cartridge 80 Amp

Split Qty	10
Carton Qty	100



WPC

W/P Coupling

Split Qty	1
Carton Qty	100

WEATHER PROOF SWITCHED SOCKET-OUTLET



WPGPO1N

Rated Voltage 240V AC
Rated Frequency 50 Hz
Rated Current 10 Amp
IP Protection IP53

Split Qty	1
Carton Qty	60



WPGPO2N

Rated Voltage 240V AC
Rated Frequency 50 Hz
Rated Current 10 Amp
IP Protection IP53

Split Qty	1
Carton Qty	50



WPGPO2X

Rated Voltage 250V AC
Rated Frequency 50 Hz
IP Protection IP53

Split Qty	1
Carton Qty	50

NEW
DESIGN



WPGPO1N/15

Rated Voltage 250V AC
Rated Frequency 50 Hz
Rated Current 15 Amp
IP Protection IP53

Split Qty	1
Carton Qty	50

NEW
DESIGN



WPGPO2N/15

Rated Voltage 250V AC
Rated Frequency 50 Hz
Rated Current 15 Amp
IP Protection IP53

Split Qty	1
Carton Qty	50



WPE

Weather proof
GPO/Switch Enclosure

Split Qty	1
Carton Qty	100

WEATHER PROOF SWITCH / ISOLATOR SWITCH

NEW
DESIGN



WP1GSW

IP56 Weather proof
16 Amp switch with
loop terminal

Split Qty	1
Carton Qty	100

NEW
DESIGN



WP2GSW

IP56 Weather proof
16 Amp switch with
loop terminal

Split Qty	1
Carton Qty	100

NEW 2 POLE
ISOLATOR



Large

IP56 Weather proof isolator Switch, 1, 3
and 4 pole Padlockable complete with
fixed earth and neutral connection bars.

Part No.	Description	Split Qty	Carton Qty
TWIS1P20	1 pole, 20 Amp	1	20
TWIS1P32	1 pole, 32 Amp	1	20
TWIS1P63	1 pole, 63 Amp	1	20
TWIS2P20	2 pole, 20 Amp	1	20
TWIS2P32	2 pole, 32 Amp	1	20
TWIS3P20	3 pole, 20 Amp	1	20
TWIS3P32	3 pole, 32 Amp	1	20
TWIS3P63	3 pole, 63 Amp	1	20



HPF120

IP66 Weather proof
20 Amp switch
Large rotary handle with
Padlock facility

Split Qty	1
Carton Qty	60



HPF220

IP66 Weather proof
20 Amp switch DOUBLE Pole
Large rotary handle with
Padlock facility

Split Qty	1
Carton Qty	60

NEW



HPF232

IP66 Weather proof
32 Amp switch DOUBLE Pole
Large rotary handle with
Padlock facility

Split Qty	1
Carton Qty	50

SCREW CONNECTORS



1SC

Fire resistant insulated connector.
Single screw connector 2x6mm cable

Jar Qty	100
Carton Qty	40



2SC

Fire resistant insulated connector.
Double screw connector 2x6mm cable

Jar Qty	50
Carton Qty	40



2SC/16

Fire resistant insulated connector.
Double screw connector 16mm cable

Jar Qty	10
Carton Qty	100



2SC/35

Fire resistant insulated connector.
Double screw connector 35mm cable

Jar Qty	10
Carton Qty	100



TPSC10

TPS Clip 10mm

Split Qty	1/500
Carton Qty	18/500



TPSC12

TPS Clip 12mm

Split Qty	1/500
Carton Qty	12/500



TPSC14

TPS Clip 14mm

Split Qty	1/250
Carton Qty	18/250

NEUTRAL AND ACTIVE LINKS



Part No.	Description	Split Qty	Carton Qty
L5	5 hole, neutral 100 A link	10	100
L5R	5 hole, active 100 A link	10	100
L7	7 hole, neutral 100 A link	10	100
L7R	7 hole, active 100 A link	10	100
L12	12 hole, neutral 100 A link	10	100
L12R	12 hole, active 100 A link	10	100
L14	14 hole, neutral 100 A link	10	100
L14R	14 hole, active 100 A link	10	100



Part No.	Description	Split Qty	Carton Qty
2 x 120mm Cable entry, 2x50, 2x35mm, 8x16mm			
L150	13 hole, neutral 165 A link	10	100
L150R	13 hole, active 165 A link	10	100
L350	13 hole, neutral 350 A link	10	100
L350R	13 hole, active 350 A link	10	100
L350/7	7 hole, neutral 350 A link	10	100
L350R/7	7 hole, active 350 A link	10	100

Part No.	Description	Split Qty	Carton Qty
2 x 150mm Cable entry, 2x50, 1x120mm, 2x16mm			
L370	7 hole, neutral 370 A link	10	100
L370R	7 hole, active 370 A link	10	100



Part No.	Description	Split Qty	Carton Qty
L4T	4 hole, neutral 140 Amp	10	100
L4TR	4 hole, neutral 140 Amp	10	100
L5B	5 hole, neutral BACKWIRED 100 Amp	10	100


METAL BRACKETS



FB

Flat Brackets

Split Qty	20
Carton Qty	200



SB

Stud Brackets

Split Qty	25
Carton Qty	200



NBH

Nail Brackets Horizontal


Split Qty	25
Carton Qty	200



NBV

Nail Brackets Vertical


Split Qty	25
Carton Qty	200



PB

Plaster Bracket

Split Qty	25
Carton Qty	200



PB SLIM

Split Qty	25
Carton Qty	200



PC

Plaster Clip

Split Qty	25
Carton Qty	500



HS20, HS25, HS32, HS40, HS50

Half Saddle

20, 25, 32, 40, 50 mm



FS20, FS25, FS32, FS40, FS50

Full Saddle

20, 25, 32, 40, 50 mm



RMB/A


Recessed Mounting Block

Split Qty	10
Carton Qty	100




SHROUD

Split Qty	20
Carton Qty	400



SPRING CLIPS

Part No.	Description	Split Qty	Carton Qty
SC1620	Spring Clip 16-20mm	1	18
SC2532	Spring Clip 25-32mm	1	8



SBV

Stud Bracket Versatile

Split Qty	25
Carton Qty	200

Tesla

FIRE RATED WALL BOX

- Designed mounting switches & outlets in wall that have a specified fire rating
- Fully compliant to Australian Standards AS1503.4-2014
- Tested to 1 & 2 hour fire rating in single & back to back installations
- Fire rating FRL-/60/60 & -/120/120
- Comes with intumescent pads & acoustic seal
- Dimensions 95 x 52 x 50 (W x H x D)



FRWB-157 Fire Rated Wall Box

Split Qty	10
Carton Qty	100



CIRCUIT PROTECTION

MINIATURE CIRCUIT BREAKERS

General Use & Motor Start Circuit Breakers.

6 kA, C curve characteristic



1 pole 6 kA Miniature Circuit Breakers

Part No.	Description	Split Qty	Carton Qty
TMCB1P10	1 pole, 10 Amp c.b	12	120
TMCB1P16	1 pole, 16 Amp c.b	12	120
TMCB1P20	1 pole, 20 Amp c.b	12	120
TMCB1P25	1 pole, 25 Amp c.b	12	120
TMCB1P32	1 pole, 32 Amp c.b	12	120
TMCB1P40	1 pole, 40 Amp c.b	12	120
TMCB1P50	1 pole, 50 Amp c.b	12	120
TMCB1P63	1 pole, 63 Amp c.b	12	120



2 pole 6 kA Miniature Circuit Breakers

Part No.	Description	Split Qty	Carton Qty
TMCB2P10	2 pole, 10 Amp c.b	6	60
TMCB2P16	2 pole, 16 Amp c.b	6	60
TMCB2P20	2 pole, 20 Amp c.b	6	60
TMCB2P25	2 pole, 25 Amp c.b	6	60
TMCB2P32	2 pole, 32 Amp c.b	6	60
TMCB2P40	2 pole, 40 Amp c.b	6	60
TMCB2P50	2 pole, 50 Amp c.b	6	60
TMCB2P63	2 pole, 63 Amp c.b	6	60



3 pole 6 kA Miniature Circuit Breakers

Part No.	Description	Split Qty	Carton Qty
TMCB3P10	3 pole, 10 Amp c.b	4	40
TMCB3P16	3 pole, 16 Amp c.b	4	40
TMCB3P20	3 pole, 20 Amp c.b	4	40
TMCB3P25	3 pole, 25 Amp c.b	4	40
TMCB3P32	3 pole, 32 Amp c.b	4	40
TMCB3P40	3 pole, 40 Amp c.b	4	40
TMCB3P50	3 pole, 50 Amp c.b	4	40
TMCB3P63	3 pole, 63 Amp c.b	4	40

NEW



3 pole 6 kA Miniature Circuit Breakers
D Curve MOTOR START

Part No.	Description	Split Qty	Carton Qty
TMCB3P10D	3 pole, 10 Amp c.b	4	40
TMCB3P16D	3 pole, 16 Amp c.b	4	40
TMCB3P20D	3 pole, 20 Amp c.b	4	40
TMCB3P25D	3 pole, 25 Amp c.b	4	40
TMCB3P32D	3 pole, 32 Amp c.b	4	40
TMCB3P40D	3 pole, 40 Amp c.b	4	40
TMCB3P50D	3 pole, 50 Amp c.b	4	40
TMCB3P63D	3 pole, 63 Amp c.b	4	40

MCB Accessories



Part No.	Description	Split Qty	Carton Qty
BUS-1P-12M	12module,1pole,63Ampbusbar	1	10
BUS-1P-18M	18module,1pole,63Ampbusbar	1	10
BUS-3P-12M	12module,3pole,63Ampbusbar	1	10

Part No.	Description	Split Qty	Carton Qty
BUS-RCD-12M	12module1P+Nrcobusbar	1	10
BUS-RCD-18M	18module1P+Nrcobusbar	1	10

Miniature Circuit Breakers.

10 kA, C curve characteristic



1 pole 10 kA Miniature Circuit Breakers

Rated voltage: AC 230/240V

Rated current (A): 63,80,100,125

Rated short-circuit capacity (Icn): 10000A Rated service short-circuit

Capacity (Ics): 7500A

Rated frequency: 50/60Hz

Part No.	Description	Split Qty	Carton Qty
MCB1P80	1 pole, 80 Amp c.b	1	10
MCB1P100	1 pole, 100 Amp c.b	1	10
MCB1P125	1 pole, 125 Amp c.b	1	10



3 pole 10 kA Miniature Circuit Breakers

Rated voltage: AC 415/440V

Rated current (A): 63,80,100,125

Rated short-circuit capacity (Icn): 10000A Rated service short-circuit

Capacity (Ics): 7500A

Rated frequency: 50/60Hz

Part No.	Description	Split Qty	Carton Qty
MCB3P80	3 pole, 80 Amp c.b	1	4
MCB3P100	3 pole, 100 Amp c.b	1	4
MCB3P125	3 pole, 125 Amp c.b	1	4

NEW



1/2/3 pole Mini Circuit Breaker

Part No.	Description	Part No.	Description	Part No.	Description	Split Qty	Carton Qty
MCB10K1P6	1 pole 6 Amp c.b	MCB10K2P6	2 pole 6 Amp c.b	MCB10K1P6	3 pole 6 Amp c.b	12	120
MCB10K1P10	1 pole 10 Amp c.b	MCB10K2P10	2 pole 10 Amp c.b	MCB10K1P10	3 pole 10 Amp c.b	12	120
MCB10K1P16	1 pole 16 Amp c.b	MCB10K2P16	2 pole 16 Amp c.b	MCB10K1P16	3 pole 16 Amp c.b	12	120
MCB10K1P20	1 pole 20 Amp c.b	MCB10K2P20	2 pole 20 Amp c.b	MCB10K1P20	3 pole 20 Amp c.b	12	120
MCB10K1P25	1 pole 25 Amp c.b	MCB10K2P25	2 pole 25 Amp c.b	MCB10K1P25	3 pole 25 Amp c.b	12	120
MCB10K1P32	1 pole 32 Amp c.b	MCB10K2P32	2 pole 32 Amp c.b	MCB10K1P32	3 pole 32 Amp c.b	12	120
MCB10K1P40	1 pole 40 Amp c.b	MCB10K2P40	2 pole 40 Amp c.b	MCB10K1P40	3 pole 40 Amp c.b	12	120
MCB10K1P50	1 pole 50 Amp c.b	MCB10K2P50	2 pole 50 Amp c.b	MCB10K1P50	3 pole 50 Amp c.b	12	120
MCB10K1P63	1 pole 63 Amp c.b	MCB10K2P63	2 pole 63 Amp c.b	MCB10K1P63	3 pole 63 Amp c.b	12	120

Main Switch.



Part No.	Description	Split Qty	Carton Qty
TMS1P63	1 pole, 63 Amp	12	100
TMS1P100	1 pole, 100 Amp	12	100
TMS3P100	3 pole, 100 Amp	4	40

Residual Current Device (RCD).

30mA sensitivity. Current rating 40,63 Amp



Part No.	Description	Split Qty	Carton Qty
RCD2P40	2 pole, 40 Amp RCD	1	60
RCD2P63	2 pole, 63 Amp RCD	1	60
RCD4P40	4 pole, 40 Amp RCD	1	40
RCD4P63	4 pole, 63 Amp RCD	1	40



RCD/RCBO
6 kA Electromagnetic

Part No.	Description	Split Qty	Carton Qty
RCDM2P10M	2 pole, 10 Amp RCD/RCBO	1	60
RCDM2P16M	2 pole, 16 Amp RCD/RCBO	1	60
RCDM2P20M	2 pole, 20 Amp RCD/RCBO	1	60



6 kA ELECTROMAGNETIC

Part No.	Description	Split Qty	Carton Qty
TMCBO210M	10 Amp 2 pole RCBO 6kA	1	60
TMCBO216M	16 Amp 2 pole RCBO 6kA	1	60
TMCBO220M	20 Amp 2 pole RCBO 6kA	1	60
TMCBO225M	25 Amp 2 pole RCBO 6kA	1	60
TMCBO232M	32 Amp 2 pole RCBO 6kA	1	60
TMCBO240M	40 Amp 2 pole RCBO 6kA	1	60

CIRCUIT PROTECTION



RCD/RCBO
4.5 kA Electronic

Part No.	Description	Split Qty	Carton Qty
RCDM110_4.5	1 pole, 10 Amp RCD/RCBO	10	100
RCDM116_4.5	1 pole, 16 Amp RCD/RCBO	10	100
RCDM120_4.5	1 pole, 20 Amp RCD/RCBO	10	100
RCDM125_4.5	1 pole, 25 Amp RCD/RCBO	10	100
RCDM132_4.5	1 pole, 32 Amp RCD/RCBO	10	100



RCD/RCBO
10 kA with Fly lead

Part No.	Description	Split Qty	Carton Qty
RCBO10K10T	10 A 1 p MCB/RCD 10kA 3.0mA with tail	1	100
RCBO10K16T	16 A 1 p MCB/RCD 10kA 3.0mA with tail	1	100
RCBO10K20T	20 A 1 p MCB/RCD 10kA 3.0mA with tail	1	100
RCBO10K25T	25 A 1 p MCB/RCD 10kA 3.0mA with tail	1	100
RCBO10K32T	32 A 1 p MCB/RCD 10kA 3.0mA with tail	1	100

ESV
APPROVED



RCD/RCBO
6 kA Electronic

Part No.	Description	Split Qty	Carton Qty
RCBO6K10	1 pole 10 Amp RCD/RCBO	10	100
RCBO6K16	1 pole 16 Amp RCD/RCBO	10	100
RCBO6K20	1 pole 20 Amp RCD/RCBO	10	100
RCBO6K25	1 pole 25 Amp RCD/RCBO	10	100
RCBO6K32	1 pole 32 Amp RCD/RCBO	10	100

ESV
APPROVED



RCD/RCBO
6 kA Electronic

Part No.	Description	Split Qty	Carton Qty
RCDM110_6	1 pole 10 Amp RCD/RCBO	1	100
RCDM116_6	1 pole 16 Amp RCD/RCBO	1	100
RCDM120_6	1 pole 20 Amp RCD/RCBO	1	100
RCDM125_6	1 pole 25 Amp RCD/RCBO	1	100
RCDM132_6	1 pole 32 Amp RCD/RCBO	1	100



- Provides protection against earth fault/leakage current, short-circuit and overload.
- Provides complementary protection against contact by human body.
- Prevents electrical equipment from being damaged.
- For use in domestic, commercial and industrial installation

RCD/RCBO
6 kA 72 mm 4 Pole

Part No.	Description	Split Qty	Carton Qty
TMCBO410M	10Amp 3 P + N RCBO 6kA	1	20
TMCBO416M	16Amp 3 P + N RCBO 6kA	1	20
TMCBO420M	20Amp 3 P + N RCBO 6kA	1	20
TMCBO425M	25Amp 3 P + N RCBO 6kA	1	20
TMCBO432M	32Amp 3 P + N RCBO 6kA	1	20
TMCBO440M	40Amp 3 P + N RCBO 6kA	1	20



SMOKE ALARMS, SENSORS

SMOKE ALARMS

Ionisation Type.



SM-ION

Ionisation Technology, 220V-240V AC
9V Battery Backup included
Interconnect up to 20 units
Tested to AS/NZS 3100.2002
Loop terminal Provision
Power and Alarm battery Status indicators

Split Qty	1
Carton Qty	24

Photoelectric Type.



SM-PHE

Photoelectric Technologies
9V Battery Backup included
Interconnect up to 20 units
Tested to AS/NZS3100
Loop terminal Provision
Hinged / Removable backplate
for easy installation

Split Qty	1
Carton Qty	24

MOTION SENSORS

180 Deg Motion Sensors WHITE or BLACK.



ST-09W

Split Qty	1
Carton Qty	100

ST-09B

Split Qty	1
Carton Qty	100

120 Deg Infrared Motion Sensors.



ST-19

Split Qty	1
Carton Qty	100

360 Deg Motion Ceiling Sensors.



ST-40W

Split Qty	1
Carton Qty	100

ST-05BW

Split Qty	1
Carton Qty	100



DISTRIBUTION BOARDS



**IP 30 Circuit
Breaker Cover**

Part No.	Description	Split Qty	Carton Qty
PME1	1 pole Module	10	100
PME2	2 pole Module	6	100
PME4	4 pole Module	1	80
PME6	6 pole Module	1	60
PME8	8 pole Module	1	60
PME12	12 pole Module	1	20
PME18	18 pole Module	1	20



**IP 30 Circuit Breaker
Cover - Sealable**

Part No.	Description	Split Qty	Carton Qty
PME1L	1 pole Module	10	100
PME2L	2 pole Module	6	100
PME3L	3 pole Module	2	80
PME4L	2 pole Module	2	60



Load Centre Metal
including neutral and eart links,
C/W lockable door

Part No.	Description	Split Qty	Carton Qty
MDB8	8 pole Load Centre	1	10
MDB12	12 pole Load Centre	1	10
MDB18	18 pole Load Centre	1	10



Load Centre Surface

Part No.	Description	Split Qty	Carton Qty
PDBL4	4 pole Surface db	1	40
PDBL6	6 pole Surface db	1	40
PDBL8	8 pole Surface db	1	30
PDBL12	12 pole Surface db	1	20
PDBL15	15 pole Surface db	1	10
PDBL18	18 pole Surface db	1	10
PDBL24	24 pole Surface db	1	10
PDBL36	36 pole Surface db	1	5



Load Centre Recessed

Part No.	Description	Split Qty	Carton Qty
PDBL8R	8 pole Recessed db	1	30
PDBL12R	12 pole Recessed db	1	20
PDBL15R	15 pole Recessed db	1	10
PDBL18R	18 pole Recessed db	1	10
PDBL24R	24 pole Recessed db	1	10
PDBL36R	36 pole Recessed db	1	5



ENCLOSURES



Polycarbonate Enclosure - Grey Lid

IP66 Weather proof Enclosure, Material ABS, PC polycarbonate

Temp range -40 Deg to +100 Deg GREY LID

AG1525 to AG2838 comes with Mounting Plate

Part No.	Height	Width	Depth	Carton Qty
AG-0506	50	65	50	1
AG-0811	80	110	70	1
AG-0816	80	160	90	1
AG-0825	80	250	70	1
AG-1010	100	100	50	1
AG-1212	125	125	100	1
AG-1217	125	175	100	1
AG-1525	150	250	100	1
AG-2819	280	190	130	1
AG-2819-1	280	190	180	1
AG-2828	280	280	130	1
AG-2834	340	280	130	1
AG-2834-1	340	280	180	1
AG-2838	380	280	130	1
AG-2838-1	380	280	180	1



Polycarbonate Enclosure - Clear Lid

IP66 Weather proof Enclosure, Material ABS, PC polycarbonate

Temp range -40 Deg to +100 Deg GREY LID

AG1525 to AG2838 comes with Mounting Plate

Part No.	Height	Width	Depth	Carton Qty
AT-1212	125	125	100	1
AT-1217	125	175	100	1
AT-1525	150	250	100	1
AT-1525-1	150	250	130	1
AT-1925	190	290	140	1
AT-2020	200	200	130	1
AT-2939	290	390	160	1
AT-2834	340	280	130	1
AT-3030	300	300	180	1



Plastic Box - Hinged Door IP66

IP66 Weather proof Enclosure,
Material ABS, PC polycarbonate
Temp range -40 Deg to +100 Deg, GREY LID,
HINGED Door

AG1525 to AG2838 comes with Mounting Plate

Part No.	Height	Width	Depth	Carton Qty
MG-2030	200	300	180	1
MG-3030	300	300	180	1
MG-4030	400	300	180	1



Polyester Hinged Enclosure

IP66 Weather proof Enclosure,
Glass fibre reinforced polyester
Resistance to grease or oil
HINGED Door, Complete with Mounting Plate

Part No.	Height	Width	Depth	Carton Qty
TIP-43	400	300	200	1
TIP-44	400	400	200	1
TIP-64	600	400	230	1
TIP-65	600	500	230	1
TIP-86	800	600	300	1



IP66 Terminal Box (HENSEL TYPE)

IP65 Weather proof Enclosure
Impact Resistant

Part No.	Height	Width	Depth	Carton Qty
D9020	88	88	53	50
D9040	100	100	61	50
K9060	140	120	70	50
K9100	167	125	82	50
K9250	200	160	100	30

METAL ENCLOSURES



IP66 Metal Enclosure

Thickness: Enclosure & Door 1.2mm
ME7525 and up Thickness 1.5mm, Paint finish
Epoxy polyester powder coating textured finish
Colour RAL7032, Hinged door, Complete with
Mounting Plate

Part No.	Height	Width	Depth	Carton Qty
ME3215	300	200	150	1
ME3320	300	300	200	1
ME4320	400	300	200	1
ME4420	400	400	200	1
ME6420	600	400	200	1
ME6430	600	400	300	1
ME6630	600	600	300	1
ME7525	700	500	250	1
ME8630	800	600	300	1
ME8640	800	600	400	1
ME10830	1000	800	300	1
ME12830	1200	800	300	1
ME14830	1400	800	300	1



IP66 Stainless Steel Enclosure

304 Stainless Steel

Material enclosure and door manufactured from
AISI 404L sheet steel. Flat mounting Plate
manufactured from 1.2mm Steel
Hinge in Stainless steel.

Part No.	Height	Width	Depth	Carton Qty
SE3215	300	200	150	1
SE4420	400	400	200	1
SE6425	600	400	250	1
SE6630	600	600	300	1
SE8630	800	600	300	1



Aluminium Enclosure

Aluminium box PUR, st steel screw IP66,
EN 60529 Standard
Temperature Range 140 Deg C +90 deg C
Paint finish Epoxy polyester, Powder coating
Colour RAL 7038

Part No.	Height	Width	Depth	Carton Qty
FA2	120	80	55	1
FA60	120	120	82	1
FA62	160	160	90	1
FA63	340	160	70	1
FA67	260	185	130	1
FA71	330	230	160	1

INDUSTRIAL SWITCHGEAR



IN STOCK NOW
ALL NEW DESIGNS

Combination Switched Socket Outlet.



3 Pin

Part No.	Current A	Voltage	Pin	Carton Qty
TCO310	10	250	Flat	20
TCO315	15	250	Flat	20
TCO320	20	250	Round	20
TCO332	32	250	Round	20



4 Round Pin

Part No.	Current A	Voltage	Carton Qty
TCO410	10	500	20
TCO420	20	500	20
TCO432	32	500	20
TCO440	40	500	20
TCO450	50	500	20



5 Round Pin

Part No.	Current A	Voltage	Carton Qty
TCO510	10	500	20
TCO520	20	500	20
TCO532	32	500	20
TCO540	40	500	20
TCO550	50	500	20

IP66 Socket Outlet.



3 Pin

Part No.	Current A	Voltage	Pin	Carton Qty
TSO310	10	250	Flat	36
TSO315	15	250	Flat	36
TSO320	20	250	Round	36
TSO332	32	250	Round	36



4 Round Pin

Part No.	Current A	Voltage	Carton Qty
TSO410	10	500	36
TSO420	20	500	36
TSO432	32	500	36
TSO440	40	500	36
TSO450	50	500	36



5 Round Pin

Part No.	Current A	Voltage	Carton Qty
TSO510	10	500	36
TSO520	20	500	36
TSO532	32	500	36
TSO540	40	500	36
TSO550	50	500	36

IP66 Switch.



On/Off

Part No.	Current A	Voltage	Carton Qty
TSW210	10	250	36
TSW220	20	250	36
TSW310	10	500	36
TSW320	20	500	36
TSW332	32	500	36
TSW340	40	500	36
TSW350	50	500	36
TSW363	63	500	36



Forward/Reverse

Part No.	Current A	Voltage	Carton Qty
TSW320F/R	20	500	36



Change Over

Part No.	Current A	Voltage	Carton Qty
TSW320CO	20	500	36

Enclosures & Covers.



Mounting Enclosure

Part No.	Description	Carton Qty
T1E	1 Module Mounting Enclosure	1
T2E	2 Module Mounting Enclosure	1
T3E	3 Module Mounting Enclosure	1
T4E	4 Module Mounting Enclosure	1
T6E	6 Module Mounting Enclosure	1
T9E	9 Module Mounting Enclosure	1



Module Cover

Part No.	Description	Carton Qty
TE1	Single Module Cover	1
TE2	Double Module Cover	1



Circuit Breaker Cover

Part No.	Description	Carton Qty
TCBC4P	CB Cover 4 pole	1
TCBC8P	CB Cover 8 pole	1

Straight Plugs.



3 Pin

Part No.	Current A	Voltage	Pin	Carton Qty
TP310	10	250	Flat	36
TP315	15	250	Flat	36
TP320	20	250	Round	36
TP320F	20	250	Flat	36
TP332	32	250	Round	36



4 Round Pin

Part No.	Current A	Voltage	Carton Qty
TP410	10	500	36
TP420	20	500	36
TP432	32	500	36
TP440	40	500	36
TP450	50	500	36

Angled Plugs.



5 Round Pin

Part No.	Current A	Voltage	Carton Qty
TP510	10	500	36
TP520	20	500	36
TP532	32	500	36
TP540	40	500	36
TP550	50	500	36



4 Round Pin

Part No.	Current A	Voltage	Carton Qty
TPA410	10	500	36
TPA420	20	500	36
TPA432	32	500	36

Extension Sockets.



5 Round Pin

Part No.	Current A	Voltage	Carton Qty
TPA510	10	500	36
TPA520	20	500	36
TPA532	32	500	36



3 Pin

Part No.	Current A	Voltage	Pin	Carton Qty
TCSC310	10	250	Flat	36
TCSC315	15	250	Flat	36



4 Round Pin

Part No.	Current A	Voltage	Carton Qty
TCSC410	10	500	36
TCSC420	20	500	36
TCSC432	32	500	36
TCSC440	40	500	36
TCSC450	50	500	36



5 Round Pin

Part No.	Current A	Voltage	Carton Qty
TCSC510	10	500	36
TCSC520	20	500	36
TCSC532	32	500	36
TCSC540	40	500	36
TCSC550	50	500	36



Appliance Inlets

SAA Approved

Rated Frequency 50/60 Hz

IP Protection: IP66

Complies with AS/NZS 3123, 3947



Part No.	Current (Amp)	Voltage	Pin	Carton Qty
TAI310	10	250	3	40
TAI315	15	250	3	40
TAI320R	20	250	3	40
TAI332R	32	250	3	40
TAI410	10	440	4	20
TAI420	20	440	4	20
TAI432	32	440	4	20
TAI440	40	440	4	20
TAI450	50	440	4	20
TAI510	10	440	5	20
TAI520	20	440	5	20
TAI532	32	440	5	20
TAI540	40	440	5	20
TAI550	50	440	5	20



VENTILATION FANS



Ceiling Fan

Attractive slim line grill.
Efficient quit ball bearing motor.
Standard with 240 3 pin plug.

Part No.	Dimm	V	HZ	W	m3/h	Noise/dBA
CF200	200mm	240	50	28	600	49
CF250	250mm	240	50	38	720	55



Wall/Ceiling Fan

Application Wall, Ceiling, Window.
Efficient quit ball bearing motor.

Part No.	Dimm	V	HZ	W	m3/h	Noise/dBA
WF100	100mm/4"	240	50	13	90	40
WF125	125mm/5"	240	50	16	140	42
WF150	150mm/6"	240	50	22	220	46



Axial In - Line Fan

Standard with 240 3 pin plug


Part No.	Dimm	V	HZ	W
IF100	100mm/4"	240	50	25
IF125	125mm/5"	240	50	25
IF150	150mm/6"	240	50	32



Fixed Grille

Externally mounted grille with fixed louvres

Part No.	Dimm
V2011	100mm 125 x 54 x 125
V2012	125mm 150 x 54 x 150
V2013	150mm 175 x 54 x 175



Flexible Duct

Comes in 6m length, can be cut down to suit required length

Part No.	Diam	Split Qty	Carton Qty
FDB100	100mm	1	40
FDB125	125mm	1	40
FDB150	150mm	1	30
FDB200	200mm	1	20



Inline Fan KIT

Comes with Fan, Grille and 6m Duct

Part No.	Diam	Split Qty	Carton Qty
IF100_KIT	100mm	1	4
IF125_KIT	125mm	1	4
IF150_KIT	150mm	1	4




AUTOMATION CONTROL



Contactors

Part No.	kW	AC1	Aux Cont
T-K12	4 kW	20 Amp	1 N/O
T-D12	5.5 kW	25 Amp	1 N/O
T-D18	7.5 kW	30 Amp	1 N/O
T-D25	11 kW	40 Amp	1 N/O
T-D32	15 kW	50 Amp	1 N/O
T-D40	18.5 kW	50 Amp	1 N/O, N/C
T-D50	22 kW	60 Amp	1 N/O, N/C
T-D65	30 kW	80 Amp	1 N/O, N/C
T-D80	37 kW	90 Amp	1 N/O, N/C
T-D90	45 kW	100 Amp	1 N/O, N/C
T-F115	55 kW	200 Amp	1 N/O
T-F150	75 kW	270 Amp	1 N/O
T-F185	90 kW	275 Amp	1 N/O
T-F225	110 kW	315 Amp	1 N/O
T-F265	132 kW	350 Amp	1 N/O
T-F300	160 kW	400 Amp	1 N/O
T-F400	200 kW	500 Amp	1 N/O



Thermal Overload Relay

Part No.	Range	Suit Contactor
TD1305	0.63-1 A	D09-D32
TD1306	1-1.6 A	D09-D32
TD1307	1.6-2.5 A	D09-D32
TD1308	2.5-4 A	D09-D32
TD1310	4-6 A	D09-D32
TD1312	6-8 A	D09-D32
TD1314	7-10 A	D09-D32
TD1316	9-13 A	D09-D32
TD1321	12-18 A	D09-D32
TD1322	18-25 A	D09-D32
TD2353	23-32 A	D25-D32
TD3353	23-32 A	D40-D95
TD3355	30-40 A	D40-D95
TD3357	37-50 A	D40-D95
TD3359	48-65 A	D40-D95
TD3361	55-70 A	D40-D95
TD3363	63-80 A	D40-D95
TD1	80-120 A	F115-F150
TD2	125-200 A	F115-F150
TD3	200-315 A	F115-F150



Auxiliary Contact Block

Part No.	Description
AX11	2 x N/O
AX22	2 x N/O, N/C
AX04	4 x N/C



Mechanical Interlock

Part No.	Description
MI7.5	Mechanical Interlock T-D12-T-D25
MI30	Mechanical Interlock T-D32-T-D80
MIF150	Mechanical Interlock F115-F150
MIF265	Mechanical Interlock F185-F225
MIF400	Mechanical Interlock F265-F330



Colis

Part No.	Description
LXD2	Suit Contactor D09-D18
LXD4	Suit Contactor D25-D32
LXD6	Suit Contactor D40-D95


***Specify Voltage
Available in 24 V , 110 V,
240 V , 415 V



DOL Starter

** Available in 240 V and 415 V

Part No.	Description
DOL5.5	5.5 kW DOL Starter
DOL7.5	7.5 kW DOL Starter
DOL11	11 kW DOL Starter



Star Delta Starter

** Available in 240 V and 415 V

Part No.	Description
SD11	11 kW Star Delta Starter
SD22	22 kW Star Delta Starter
SD37	37 kW Star Delta Starter
SD55	55 kW Star Delta Starter
SD75	75 kW Star Delta Starter



Modular Contactors

Part No.	Description	Voltage
MC120	1 pole 20 Amp	240 V
MC220	2 pole 20 Amp	240 V
MC240	2 pole 40 Amp	240 V
MC420	4 pole 20 Amp	240 V
MC440	4 pole 40 Amp	240 V
MC363	3 pole 63 Amp	240 V



Surge Protection Removable

Part No.	Description
SP130	1 POLE Surge Protector 30 kA/65 kA
SP330	3 POLE Surge Protector 30 kA/65 kA



KWH Meter

Part No.	Description
KWH1 DRS-201	Hour Meter 1KW 1 pole 4 (45)A



KWH Meter

Part No.	Description
KWH1 DRS-210	Hour Meter 1KW 2 pole 10 (100)A



KWH Meter

Part No.	Description
KWH3 DRT-370A	Hour Meter 3 Phase 10 (100)A



KWH Meter

Part No.	Description
KWH3 DRT-301A	Hour Meter 3 Phase 10 (100)A



Time Clocks

240 V 16 Amp

Part No.	Description
SUL181H	24 Hour, 150H battery backup
SUL180A	24 Hour, 150H battery backup
AHC15A	7 Day, 15 Day battery backup

DISCONTINUED



Multi Range Timers 240 V 16 Amp

Part No.	Description
AH3-2A	8 pin, 1S, 10S, 1M, 10M
AH3-2B	8 pin, 3S, 30S, 3M, 30M
AH3-3C	8 pin, 1S, 10S, 1M, 10M
ST3PA-B	8 pin, 10S, 60S, 1M, 6M
H3BA-11	11 pin, 0.5S -100 Hour



Bases

Part No.	Description
PTF08A-E	8 Flat Pin
PTF14A-E	14 Flat Pin
PF083A-E	8 Round Pin
PF113A	11 Round Pin



Phase Failure Relay

Part No.	Description
11WRUP	415 V Phase failure relay with Over and Under Voltage Control



Relays

Part No.	Description	Amps	Voltage
LY1-S 240V	1 pole, Flat Pin	10	240 V
LY2-S 240V	2 pole, Flat Pin	10	240 V
LY4-S 240V	4 pole, Flat Pin	10	240 V
MK2PIS 240V	2 pole, 8 Round Pin	10	240 V
MK3PIS 240V	3 pole, 8 Round Pin	10	240 V
LY1-S 110V	1 pole, Flat Pin	10	110 V
LY2-S 110V	2 pole, Flat Pin	10	110 V
LY4-S 110V	4 pole, Flat Pin	10	110 V
MK2PIS 110V	2 pole, 8 Round Pin	10	110 V
MK3PIS 110V	3 pole, 8 Round Pin	10	110 V
LY1-S 24V	1 pole, Flat Pin	10	24 V
LY2-S 24V	2 pole, Flat Pin	10	24 V
LY4-S 24V	4 pole, Flat Pin	10	24 V
MK2PIS 24V	2 pole, 8 Round Pin	10	24 V

Automation Changeover Switch.



ACS-C1 CM40

Automatic changeover micro controller with neutral isolation
LED Indication for operation status
Manual Reset for supply restoring in sleep mode
Manual current setting from 20% to 100%
Automatic generator on/off ignition

Emergency Lighting Test Switch.



ELTEST_KIT

6 pole Surface Enclosure
4 pole 25 Amp contactor 4NC
Delay timer 0.1 sec - 10 hours

Multifunctional Timer.

Voltage Monitoring Relay.

CHECK OUT OUR NEW TIMER/RELAY CATALOGUE



GRT8-M1

One SPDT output



GRT8-M2

Two SPDT output

Function: On Delay, Off Delay, Latching Relay, Repeat Cycle, Pulse Generation
Time Scale 0.1 sec - 10 days
Multivoltage AC/DC 12 - 240V



GRV8-02

For protection of equipment of OVER and UNDER voltage

Appliance Test Tag



T-Tag Blue




T-Tag Green




T-Tag Red



T-Tag Rainbow



T-Tag White



T-Tag Yellow

All States Except NSW		
	Red	December - February
	Green	March - May
	Blue	June - August
	Yellow	September - November
	Orange	January - June
	White	July - December
	Black	Yearly

New South Wales		
	Red	January, September
	Blue	February, July
	Orange	March, November
	Green	April, August
	White	May, December
	Yellow	June, October
	Black	Yearly



INDUSTRIAL SWITCHES

Load Break Switch.



Load Break Switch

3 pole, Includes handle and adj shaft. Pad lockable

Part No.	Description
HGL125/3	125 A Load Break Switch
HGL160/3	160 A Load Break Switch
HGL250/3	250 A Load Break Switch
HGL400/3	400 A Load Break Switch



Load Break Switch Enclosed

3 pole, Includes handle and adj shaft. Pad lockable

Part No.	Description
HGL125/3E	125 A Load Break Switch Enclosed
HGL160/3E	160 A Load Break Switch Enclosed
HGL250/3E	250 A Load Break Switch Enclosed
HGL400/3E	400 A Load Break Switch Enclosed

On/Off Isolator Switch.



Panel Mount

Lockable Handle

Part No.	Description
3P20ASM	3 pole 20 A Panel Mount
3P32ASM	3 pole 32 A Panel Mount
3P63ASM	3 pole 63 A Panel Mount
3P100ASM	3 pole 100 A Panel Mount



Enclosed

Lockable Handle

Part No.	Description
3P20ASME	3 pole 20 A Enclosed
3P32ASME	3 pole 32 A Enclosed
3P63ASME	3 pole 63 A Enclosed
3P100ASME	3 pole 100 A Enclosed

Changeover Switch with Centre Off Position.



Panel Mount
4 pole, with centre of position

Part No.	Description
UKT-4-8213-P20	20 Amp Panel mount changeover switch
UKT-4-8213-P32	32 Amp Panel mount changeover switch
UKT-4-8213-P40	40 Amp Panel mount changeover switch
UKT-4-8213-P63	63 Amp Panel mount changeover switch
UKT-4-8213-P100	100 Amp Panel mount changeover switch



Enclosed
4 pole, with centre of position

Part No.	Description
UKT3-4-8213-E20	20 Amp Enclosed changeover switch
UKT3-4-8213-E40	40 Amp Enclosed changeover switch
UKT3-4-8213-E63	63 Amp Enclosed changeover switch
UKT3-4-8213-E100	100 Amp Enclosed changeover switch

Changeover Switch.



Changeover Switch
4 pole, with centre of position

Part No.	Description
HGLZ125/4	125 Amp Changeover switch
HGLZ160/4	160 Amp Changeover switch
HGLZ250/4	250 Amp Changeover switch
HGLZ400/4	400 Amp Changeover switch
HGLZ630/4	630 Amp Changeover switch



Changeover Switch Enclosed
4 pole, with centre of position

Part No.	Description
HGLZ125/4E	125 Amp Changeover switch
HGLZ160/4E	160 Amp Changeover switch
HGLZ250/4E	250 Amp Changeover switch
HGLZ400/4E	400 Amp Changeover switch
HGLZ630/4E	630 Amp Changeover switch



LIMIT, FLOAT, FOOT SWITCHES



TZ-8 Limit Switch

10 Amp Industrial Limit Switch
Metal Body IP65

Part No.	Description	Box
TZ-8104	Non Adjustable Roller Lever	10
TZ-8108	Adjustable Roller Lever	10
TZ-8112	Button Plunger with Roller	10
TZ-8107	Adjustable Rod Lever	10
TZ-8111	Button Plunger	10
TZ-8166	Plastic Rod Lever	10



CHL Limit Switch

10 Amp Industrial Limit Switch
Metal Body IP65

Part No.	Description	Box
CHL-5000	Non Adjustable Roller Lever	10
CHL-5030	Adjustable Roller Lever	10
CHL-5200	Button Plunger with Roller	10
CHL-5100	Button Plunger	10
CHL-5050	Adjustable Rod Lever	10



CZ Micro Switch

10 Amp Enclosed Limit Switch
IP65

Part No.	Description	Box
CZ-7121	48mm Roller Lever	10
CZ-7120	63.5mm Lever	10
CZ-7311	Button Plunger with Roller	10



CM Micro Switch

Part No.	Description	Box
CM1703	49mm Lever with Roller	12
CM1701	63mm Lever	12




Float Switch

10 Amp
Oil and Chemical resistant lead

Part No.	Cable lead m	Box
UKY-1	2m	1
UKY-2	10m	1



XF-302/502




CFS-101

Foot Switch

Commercial and Industrial use

Part No.	Description	Box
CFS-101	Foot Control Switch 10 Amp	1
XF-302	Foot Control Switch 10 A IP65	1
XF-502	Foot Control Switch 15 A IP65	1



WARNING LIGHTS, STROBE, SIRENS



Strobe Lights

Part No.	Voltage	Description	Box
LTE-3072R24	24 V DC	RED Strobe light	1
LTE-3072G24	24 V DC	GREEN Strobe light	1
LTE-3072A24	24 V DC	AMBER Strobe light	1
LTE-3072R240	240 V	RED Strobe light	1
LTE-3072G240	240 V	GREEN Strobe light	1
LTE-3072A240	240 V	AMBER Strobe light	1



Flashing Warning Lights

Available in RED, GREEN, AMBER, BLUE

Part No.	Voltage	Description	Box
LTE-2071R24	24 V DC	RED Flashing light	1
LTE-2071G24	24 V DC	GREEN Flashing light	1
LTE-2071A24	24 V DC	AMBER Flashing light	1
LTE-2071B24	24 V DC	BLUE Flashing light	1
LTE-2071R110	110 V	RED Flashing light	1
LTE-2071G110	110 V	GREEN Flashing light	1
LTE-2071A110	110 V	AMBER Flashing light	1
LTE-2071B110	110 V	BLUE Flashing light	1
LTE-2071R240	240 V	RED Flashing light	1
LTE-2071G240	240 V	GREEN Flashing light	1
LTE-2071A240	240 V	AMBER Flashing light	1
LTE-2071B240	240 V	BLUE Flashing light	1



Revolving Warning Lights


Available in RED, GREEN, AMBER

Part No.	Voltage	Description	Box
LTE-1161R24	24 V DC	RED Revolving Warning light	1
LTE-1161G24	24 V DC	GREEN Revolving Warning light	1
LTE-1161A24	24 V DC	AMBER Revolving Warning light	1
LTE-1161R240	240 V	RED Revolving Warning light	1
LTE-1161G240	240 V	GREEN Revolving Warning light	1
LTE-1161A240	240 V	AMBER Revolving Warning light	1




Sirens

Part No.	Voltage	Description	Box
MS-190-24VDC	24V DC	95 decibel Mini Motor Sirene	1
MS-190-240VAC	240V AC	95 decibel Mini Motor Sirene	1
MS-290-24VDC	24V DC	110 decibel Mini Motor Sirene	1
MS-290-240VAC	240V AC	110 decibel Mini Motor Sirene	1
MS-390-24VDC	24V DC	130 decibel Mini Motor Sirene	1
MS-490-240VAC	240V AC	130 decibel Mini Motor Sirene	1
MS-490-240VDC	240V DC	120 decibel Double Motor Sirene	1




SWITCHBOARD ACCESSORIES



Slotted Duct


2m lengths, Open slotted,
Grey colour

Part No.	Dimension
SD2525	25x30mm
SD2540	25x40mm
SD4040	40x40mm
SD4060	40x60mm
SD6040	60x40mm
SD6060	60x60mm



DIN Rail

Part No.	Description
DRA-2	2m Aluminium slotted
DRS-2	2m Steel slotted



Terminals

Part No.	Description
TB-2.5	2.5mm Terminal
TB-4	4mm Terminal
TB-6	6mm Terminal
TB-10	10mm Terminal
TB-16	16mm Terminal
TB-35	35mm Terminal
TB-70	70mm Terminal



Earth Terminals

Part No.	Description
ET-2.5	2.5mm Earth Terminal
ET-4	4mm Earth Terminal
ET-6	6mm Earth Terminal
ET-10	10mm Earth Terminal
ET-16	16mm Earth Terminal
ET-35	35mm Earth Terminal



Terminal End Clamps

Part No.	Description
DRC	Din Rail Clamp
EC4	2.5, 4mm End Cap
EC6	6mm End Cap
EC10	10mm End Cap
EC16	16mm End Cap



Adhesive Tie Bases

Part No.	Description
AB21	21x21mm White
AB28	28x28mm White



Cable Glands - Metal

Part No.	Description
MG20	20mm Metal Cable Gland
MG25	25mm Metal Cable Gland
MG32	32mm Metal Cable Gland
MG40	40mm Metal Cable Gland
MG50	50mm Metal Cable Gland
MG63	63mm Metal Cable Gland




Cable Glands - Nylon

Part No.	Description
TGN16	16mm Nylon Cable Gland
TGN20	20mm Nylon Cable Gland
TGN25	25mm Nylon Cable Gland
TGN32	32mm Nylon Cable Gland
TGN40	40mm Nylon Cable Gland
TGN50	50mm Nylon Cable Gland
TGN63	63mm Nylon Cable Gland




Neutral and Earth Bar

Part No.	Description
NB-12	Bare Link Bar 165A 12 Holes
NB-18	Bare Link Bar 165A 18 Holes
NB-24	Bare Link Bar 165A 24 Holes
NB-36	Bare Link Bar 165A 36 Holes
NB-48	Bare Link Bar 165A 48 Holes



Busbar Insulators

Part No.	Description
SM-30	8mm Busbar insulator
SM-50	8mm Busbar insulator
SM-75	10mm Busbar insulator



Spiral Wrapping

Part No.	Description
SWB-08	6-60mm Spiral Wrapping
SWB-12	9-65mm Spiral Wrapping
SWB-15	12-75mm Spiral Wrapping



Nylon Bushings

Part No.	Description
NB20	20mm Nylon Bushing
NB25	25mm Nylon Bushing
NB32	32mm Nylon Bushing



STORAGE CASES

STORAGE CASES



Storage Case 20102

Part No.	Description
20102	420 x 334 x 115mm



Storage Case 2045

Part No.	Description
2045	420 x 335 x 62mm



Storage Case 3126

Part No.	Description
3126	320 x 335 x 62mm



Storage Case 3127

Part No.	Description
3127	380 x 310 x 60mm




Storage Case 3128

Part No.	Description
3128	480 x 380 x 80mm



Storage Case 3130

Part No.	Description
3130	380 x 290 x 80mm



TOOLS

TOOLS

All Tools are Retail Packaged.



Strippers

Part No.
ST-020528



Combination Pliers

Part No.
ST-020203



Measuring Tape 8m

Part No.
ST-110111



Utility Knife II

Part No.
ST-030504



Side Cutting Pliers 6"

Part No.
ST-020206



Utility Knife

Part No.
ST-030501



Long Nose Pliers 8"

Part No.
ST-020205



Caulking Gun

Part No.
ST-CK6-03



PVS Pipe Cutters

Part No.
ST-030410



Board Saw

Part No.
ST-040107



Insulated Wire Stripper

Part No.
ST-020523



12" Hacksaw Frame

Part No.
ST-040203



6 pcs Screwdriver Set VDE

Part No.
ST-010605



CONDUIT FITTINGS

CONDUIT FITTINGS



SWEEP BENDS ORANGE

Part No.	Split Qty	Carton Qty
SWBO20-90	1	500
SWBO25-90	1	260
SWBO32-90	1	150
SWBO40-90	1	90
SWBO50-90	1	40



SWEEP BENDS GREY

Part No.	Split Qty	Carton Qty
SWB20-90	1	500
SWB25-90	1	260
SWB32-90	1	150
SWB40-90	1	90
SWB50-90	1	40



TELSTRA BENDS

Part No.	Split Qty	Carton Qty
50/90-305	1	40
20/90-305	1	260



BENDS GRAY

Part No.	Split Qty	Carton Qty
SB20	1	1000
SB25	1	400
SB32	1	90
SB40	1	48
SB50	1	24



SOLID ELBOW

Part No.	Split Qty	Carton Qty
SE20	20	480
SE25	20	400



SOLID COUPLINGS

Part No.	Split Qty	Carton Qty
TC20	50	1200
TC25	50	1000
TC32	20	400
TC40	10	400
TC50	10	250



PLAIN TO SCREW ADAPTORS

Part No.	Split Qty	Carton Qty
PS20	50	1000
PS25	50	1000
PS32	20	1000
PS40	10	200
PS50	10	200



PLAIN REDUCERS

Part No.	Split Qty	Carton Qty
RC20/16	50	1800
RC25/20	50	1800
RC32/25	20	1200
RC40/32	10	680
RC50/40	10	480



CONDUIT CAP


Part No.	Split Qty	Carton Qty
CC32	1	100
CC40	1	100
CC50	1	100

CONDUIT FITTINGS



LOCATING FLANGE

Part No.	Split Qty	Carton Qty
LF20	20	400
LF25	20	400



SADDLE

Part No.	Split Qty	Carton Qty
SDL20	100	2000
SDL25	100	2000



INSPECTION ELBOW

Part No.	Split Qty	Carton Qty
IE20	10	400
IE25	10	400



SOLID TEE

Part No.	Split Qty	Carton Qty
ST20	20	480
ST25	20	320



INSPECTION TEE

Part No.	Split Qty	Carton Qty
IT20	20	400
IT25	20	200



MALE / FEMALE BUSH

Part No.	Split Qty	Carton Qty
FCB25	50	2000
FCB32	50	1250
FCB40	50	400
FCB50	50	400



NYLON RING

Part No.	Split Qty	Carton Qty
NR20	1	2000
NR25	1	1250
NR32	1	400



CORRUGATED CONDUIT GLANDS

Part No.	Split Qty	Carton Qty
CG20	20	400
CG25	20	400



SHALLOW JUNCTION BOX

Part No.	Split Qty	Carton Qty
JB1-20	10	100
JB2-20	10	100
JB3-20	10	100
JB4-20	10	100
JB1-25	10	100
JB2-25	10	100
JB3-25	10	100
JB4-25	10	100



DEEP JUNCTION BOX

Part No.	Split Qty	Carton Qty
DJB1-20	10	100
DJB2-20	10	100
DJB3-20	10	100
DJB4-20	10	100



CORRUGATED CONDUIT GREY

Part No.	Split Qty	Carton Qty
CC2025	1	5
CC2525	1	5
CC3210	1	5
CC4025	1	5



CORRUGATED CONDUIT ORANGE

Part No.	Split Qty	Carton Qty
CCO2025	1	5
CCO2525	1	5
CCO3210	1	5
CCO4010	1	5
CCO5010	1	5



FIXINGS, ANCHORS, WALL MATES & WALL PLUGS



ZINC ALLOY WALL MATE

Part No.	Qty	Carton Type
WMZ	100	JAR



NYLON WALL MATE

Part No.	Qty	Carton Type
WM	100	JAR



GREEN WALL PLUG

Part No.	Size	Qty	Carton Type
WP25G	25mm	100	JAR
WP35G	35mm	100	JAR



SELF DRILLING SCREW PAN HEAD 75mm x M3.5 x 0.8 pitch

Part No.	Qty	Carton Type
335A	100	BAG



SELF DRILLING SCREW PAN HEAD 75mm x M3.5 x 0.8 pitch RAISED

Part No.	Qty	Carton Type
335B	100	BAG



NYLON ANCHOR MUSHROOM HEAD

Part No.	Size	Qty	Carton Type
NAMH525	5x25mm	100	BOX
NAMH540	5x40mm	100	BOX
NAMH625	6.5x25mm	100	BOX
NAMH640	6.5x40mm	100	BOX

NEW



CARAVAN
SUPPLIES



CARAVAN OUTLET WHITE

Code	Description	Split Qty	Box Qty
CO/10	Socket Outlet 10 Amp	10	100
CO/15	Socket Outlet 15 Amp	10	100

CARAVAN OUTLET BLACK

Code	Description	Split Qty	Box Qty
CO/10/BLK	Socket Outlet 10 Amp	10	100
CO/15/BLK	Socket Outlet 15 Amp	10	100



CARAVAN INLET WHITE

Code	Description	Split Qty	Box Qty
CI/10	Socket Inlet 10 Amp	10	100
CI/15	Socket Inlet 15 Amp	10	100

CARAVAN INLET BLACK

Code	Description	Split Qty	Box Qty
CI/10/BLK	Socket Inlet 10 Amp	10	100
CI/15/BLK	Socket Inlet 15 Amp	10	100

NEW



LARGE DOLLY SWITCHES AND POWER POINTS

LARGE DOLLY SWITCHES



SW1/LDX

Part No.	Rating	Description	Split Qty	Carton Qty
SW1/LDX	250V 10 Amp	1g Switch large Dolly Large Plate	10	100



SW2/LDX

Part No.	Rating	Description	Split Qty	Carton Qty
SW2/LDX	250V 10 Amp	2g Switch large Dolly Large Plate	10	100



SW3/LDX

Part No.	Rating	Description	Split Qty	Carton Qty
SW3/LDX	250V 10 Amp	3g Switch large Dolly Large Plate	10	100



SW4/LDX

Part No.	Rating	Description	Split Qty	Carton Qty
SW4/LDX	250V 10 Amp	4g Switch large Dolly Large Plate	10	100



SW1/LD

Part No.	Rating	Description	Split Qty	Carton Qty
SW1/LD	250V 10 Amp	1g Switch large Dolly	10	100



SW2/LD

Part No.	Rating	Description	Split Qty	Carton Qty
SW2/LD	250V 10 Amp	2g Switch large Dolly	10	100

LARGE DOLLY SOCKETS



GP01/LD

Part No.	Rating	Description	Split Qty	Carton Qty
GP01/LD	250V 10 Amp	Single GPO Large Dolly	10	100



GP01/LD/15

Part No.	Rating	Description	Split Qty	Carton Qty
GP01/LD/15	250V 15 Amp	Single GPO 15A Large Dolly	10	100



GP01X/LDX

Part No.	Rating	Description	Split Qty	Carton Qty
GP01X/LDX	250V 10 Amp	Single GPO ex Switch Large Dolly	10	100



GP01X/LDX/15

Part No.	Rating	Description	Split Qty	Carton Qty
GP01X/LDX/15	250V 15 Amp	Single GPO 15A ex Switch Large Dolly	10	100



GP02/LDX

Part No.	Rating	Description	Split Qty	Carton Qty
GP02/LDX	250V 10 Amp	Double GPO Large Dolly	10	100



GP02/LDX/15


Part No.	Rating	Description	Split Qty	Carton Qty
GP02/LDX/15	250V 15 Amp	Double GPO 15A Large Dolly	10	100

LARGE DOLLY PLATES



SW1PL/LDX

Part No.	Description	Split Qty	Carton Qty
SW1PL/LDX	SW1 Large Dolly Plate	10	100



SW2PL/LDX

Part No.	Description	Split Qty	Carton Qty
SW2PL/LDX	SW2 Large Dolly Plate	10	100



SW3PL/LDX

Part No.	Description	Split Qty	Carton Qty
SW3PL/LDX	SW3 Large Dolly Plate	10	100



SW4PL/LDX

Part No.	Description	Split Qty	Carton Qty
SW4PL/LDX	SW4 Large Dolly Plate	10	100



SW1PL/LD


Part No.	Description	Split Qty	Carton Qty
SW1PL/LD	SW1 Large Dolly Plate	10	100



SW2PL/LD


Part No.	Description	Split Qty	Carton Qty
SW2PL/LD	SW2 Large Dolly Plate	10	100

LARGE DOLLY MECHS




ADAPT/LD

Part No.	Description
ADAPT/LD	Adaptor Mech large Dolly




2XSM/LD

Part No.	Description
2XSM/LD	Two Switch Mech 2 x 16 Amp L Dolly



SM/LD

Part No.	Description
SM/LD	Switch Mech 16 Amp with loop



SME/LD

Part No.	Description
SME/LD	Switch Mech 16 Amp with loop and Earth



LAY5 PUSH BUTTON & INDICATOR SERIES

LAY5 PUSH BUTTON & INDICATOR SERIES



LAY5-EV164(DB2-EV164)

Description	Contact	Color	Type
For use with incandescent Bulb (included) BA9s base Fitting	130V 50/60Hz	● Green	LAY5-EV133
		● Red	LAY5-EV134
		● Yellow	LAY5-EV135
	230V50/60Hz 220/240V bulb	● White	LAY5-EV161
		● Green	LAY5-EV163
		● Red	LAY5-EV164
		● Yellow	LAY5-EV165
		● Blue	LAY5-EV166



LAY5-EV443(DB2-EV443)

Description	Contact	Color	Type
For use with incandescent Bulb (included) BA9s base Fitting	230V50/60Hz 220/240V bulb	● White	LAY5-EV161
		● Green	LAY5-EV163
		● Red	LAY5-EV164
		● Yellow	LAY5-EV165
		● Blue	LAY5-EV166
Regulator directly	380V50/60Hz 280/240V bulb	● Green	LAY5-EV133
		● Red	LAY5-EV134
		● Yellow	LAY5-EV135



LAY5-EV175(DB2-EV175)

Description	Contact	Color	Type
For use with incandescent Bulb(included) BA9s base Fitting Withregulator	230V50/60Hz 220/240V bulb	● White	LAY5-EV171
		● Green	LAY5-EV173
		● Red	LAY5-EV174
		● Yellow	LAY5-EV175
		● Blue	LAY5-EV176



LAY5-EA133(DB2-EA133)

Description	Contact	Color	Type
Pushbutton spring return	N/O	● Black	LAY5-EA121
		● Green	LAY5-EA133
		● Green Start	LAY5-EA131S




LAY5-EA145(DB2-EA145)

Description	Contact	Color	Type
Pushbutton spring return	N/O+N/C	● Black	LAY5-EA125
		● Blue	LAY5-EA135
		● Red	LAY5-EA145
		● Yellow	LAY5-EA155




LAY5-EH121(DB2-EH121)

Description	Contact	Color	Type
Pushbutton Latching	N/O	● Black	LAY5-EH121
		● Blue	LAY5-EH131
		● Yellow	LAY5-EH151
	N/C	● Red	LAY5-EH142
		● Black	LAY5-EH125
		● Blue	LAY5-EH125
	N/O+N/C	● Red	LAY5-EH125
		● Red	LAY5-EH145




LAY5-BA21(DB2-BA21)

Description	Contact	Color	Type
Even button spring return	N/O	● White	LAY5-BA11
		● Black	LAY5-BA21
		● Green	LAY5-BA31
		● Yellow	LAY5-BA51
		● Blue	LAY5-BA61




LAY5-EV42(DB2-BA42)

Description	Contact	Color	Type
	N/C	● Red	LAY5-BA42



LAY5-EV175(DB2-EV175)

Description	Contact	Color	Type
Even button spring return	N/O+N/C	● Black	LAY5-BA25
	N/O+N/C	● Green	LAY5-BA35
		● Yellow	LAY5-BA55
		● Blue	LAY5-BA65
		● Red	LAY5-BA45



LAY5-BU31(DB2-BU31)

Description	Contact	Color	Type
		● Black	LAY5-BU21
		● Green	LAY5-BU31
		● Yellow	LAY5-BU51
		● Blue	LAY5-BU61
		● Red	LAY5-BU42




LAY5-BP31(DB2-BP31)

Description	Contact	Color	Type
Even button (Atansparent silica gel cover)	N/O	● White	LAY5-BP11
		● Black	LAY5-BP21
		● Green	LAY5-BP31
		● Yellow	LAY5-BP51
		● Blue	LAY5-BP61
Unmarked			
IP65			




LAY5-BP42(DB2-BP42)

Description	Contact	Color	Type
Even button (Atansparent silica gel cover)	N/C	● Red	LAY5-BP42
Unmarked			
IP65			




LAY5-BA3311(DB2-BA3311)

Description	Contact	Color	Type
Even button spring return Wiht symbol Logo	N/O	● Green	LAY5-BA3311




LAY5-BA3361(DB2-BA3361)

Description	Contact	Color	Type
Even button spring return Wiht symbol Logo	N/O	● Green	LAY5-BA3361




LAY5-BA3341(DB2-BA3341)

Description	Contact	Color	Type
Even button spring return Wiht symbol Logo	N/O	ⓘ White	LAY5-BA3341



LAY5-EA3351(DB2-BA3351)

Description	Contact	Color	Type
	N/O	● Black	LAY5-BA3351




LAY5-BA4342(DB2-BA4342)

Description	Contact	Color	Type
Even button	N/C	● Red	LAY5-BA4322
spring return		● Red	LAY5-BA4342
Wiht symbol			
Logo			




LAY5-BA5331(DB2-BA5331)

Description	Contact	Color	Type
Even button	N/O	● Green	LAY5-BA5331
spring return			
Wiht symbol			
Logo			




LAY5-BC42(DB2-BC42)

Description	Contact	Color	Type
Mushroom head φ 40	N/O	● Black	LAY5-BC21
		● Green	LAY5-BC31
	N/C	● Red	LAY5-BC42



LAY5-EV42(DB2-BA42)

Description	Contact	Color	Type
Turn to release	N/C	● Red φ 30	LAY5-BS442
		● Red φ 40	LAY5-BS542
	N/C	● Red φ 60	LAY5-BS642



LAY5-BT42(DB2-BT42)

Description	Contact	Color	Type
Push-pull	N/C	● Red φ 40	LAY5-BT42
		● Red φ 60	LAY5-BX42



LAY5-BS142(DB2-BS142)

Description	Contact	Color	Type
Push-pull (Key n445) Red	N/C	● Red φ 30	LAY5-BS742
		● Red φ 40	LAY5-BS142
		● Red φ 60	LAY5-BS242



LAY5-BD21(DB2-BD21)

Description	Contact	Color	Type
2Position	N/O	Standard handle	LAY5-BD21
stay put	N/O+N/C	Standard handle	LAY5-BD25



LAY5-BD33(DB2-BD33)

Description	Contact	Color	Type
3 Position stay put	N/O+N/O	Standard handle	LAY5-BD33
2 Position 1 spring return from right to left	N/O	Standard handle	LAY5-BD41
3 Position 2 spring return to centre	N/O+N/C	Standard handle	LAY5-BD45
	N/O+N/C	Standard handle	LAY5-BD55



LAY5-BJ21(DB2-BJ21)

Description	Contact	Color	Type
2Position	N/O	Long handle	LAY5-BJ21
stay put	N/O+N/C	Long handle	LAY5-BJ25



LAY5-BJ33(DB2-BJ33)

Description	Contact	Color	Type
3 Position stay put	N/O+N/O	Long handle	LAY5-BJ33
2 Position 1 spring return from right to left	N/O	Long handle	LAY5-BJ41
3 Position	N/O+N/C	Long handle	LAY5-BJ45
2 spring return to centre	N/O+N/O	Long handle	LAY5-BJ53




LAY5-BG21(DB2-BG21)

Description	Contact	Color	Type
2 Position key stay put	N/O	LH position	LAY5-BG21
2 Position key 1 spring return from right to left	N/O+N/C	LH position	LAY5-BG25
	N/O+N/C	LH and RH position	LAY5-BG45
	N/O	LH and RH position	LAY5-BG41



LAY5-BG33(DB2-BG33)

Description	Contact	Color	Type
3 Position key stay put	N/O+N/O	Centre position	LAY5-BG33
3 Position key 1 spring return to centre	N/O+N/O	LH and RH position	LAY5-BG53
	N/O		LAY5-BG61



LAY5-BL8325(DB2-BL8325)

Description	Contact	Color	Type
Without pilot light	N/O	Green	LAY5-BL8325
1 flush green pushbutton	+		
1 flush red pushbutton	N/C	Red	
IP40			



LAY5-BL9325(DB2-BL9325)

Description	Contact	Color	Type
Without pilot light 1 flush green pushbutton 1 projecting red pushbutton	N/O	Green	LAY5-BL9325
	+	WhiteRed	
	N/C		
Unmarked IP65			



LAY5-BW3361(DB2-BW3361)

Description	Contact	Color	Type
Direct	N/O	● White	LAY5-BW3161
		● Green	LAY5-BW3361
bulb supplied	220–240V	● Yellow	LAY5-BW3561
		● Blue	LAY5-BW3661



LAY5-BW3462(DB2-BW3462)

Description	Contact	Color	Type
Direct	N/C		LAY5-BW3462
bulb supplied	220–240V	● Red	



LAY5-BW3371(DB2-BP3371)

Description	Contact	Color	Type
Via integral resistor	N/C	● White	LAY5-BW317
BA9s, 130V	220V	● Green	LAY5-BW3371
bulb supplied	250V	● Yellow	LAY5-BW3571
	N/C	● Red	LAY5-BW3432



LAY5-BW3432(DB2-BW3432)

Description	Contact	Color	Type
Via integral resistor	N/O	● White	LAY5-BW337
BA9s, 130V	110V/50Hz	● Green	LAY5-BW3331
bulb supplied	110–120V/60Hz	● Yellow	LAY5-BW3531
integral transformer 1.2VA	N/C		LAY5-BW3432
BA9s, 6V		● Red	
bulb supplied			



LAY5-BV63(DB2-BV63)

Description	Contact	Color	Type
Direct bulb	130V	● White	LAY5-BV61
Included	220/240V	● Green	LAY5-BV63
BA9s base	50/60Hz	● Red	LAY5-BV64
Fitting		● Yellow	LAY5-BV66
		● Blue	LAY5-BV65



LAY5-BV74(DB2-BV74)

Description	Contact	Color	Type
Direct bulb	130V	● White	LAY5-BV71
Included	220/240V	● Green	LAY5-BV73
BA9s base	50/60Hz	● Red	LAY5-BV74
Fitting		● Yellow	LAY5-BV75
		● Blue	LAY5-BV76



LAY5-BV35(DB2-BV35)

Description	Contact	Color	Type
Direct bulb	110V/50Hz	● White	LAY5-BV31
Included	110–120V/60Hz	● Green	LAY5-BV33
1.2Va		● Red	LAY5-BV34
BA9s base		● Yellow	LAY5-BV35
Fitting		● Blue	LAY5-BV36



LAY5-BV46(DB2-BV46)

Description	Contact	Color	Type
Direct bulb	220V/50Hz	● White	LAY5-BV41
Included		● Green	LAY5-BV43
1.2Va		● Red	LAY5-BV44
BA9s base		● Yellow	LAY5-BV45
Fitting		● Blue	LAY5-BV46



LAY5-BV943(DB2-BV943)

Description	Contact	Color	Type
Direct bulb	240V/50Hz	● White	LAY5-BV51
Included		● Green	LAY5-BV53
1.2Va		● Red	LAY5-BV54
BA9s base		● Yellow	LAY5-BV55
Fitting		● Blue	LAY5-BV56




LAY5-BV54(DB2-BV54)

Description	Contact	Color	Type
Direct bulb	240V/50Hz	● White	LAY5-BV51
Included		● Green	LAY5-BV53
1.2Va		● Red	LAY5-BV54
BA9s base		● Yellow	LAY5-BV55
Fitting		● Blue	LAY5-BV56




LAY5-BA3(ZB2-BA3)

Description	Reference
Flush	● LAY5-BA1
	● LAY5-BA2
	● LAY5-BA3
	● LAY5-BA4
	● LAY5-BA5
	● LAY5-BA6




LAY5-BA432(ZB2-BA432)

Description	Reference
Sign	● Green LAY5-BA331
Even	● Green LAY5-BA336
Button	● White → LAY5-BA334
Sign	● Black ↓ LAY5-BA335
	● Red ○ LAY5-BA432
	● Red STOP LAY5-BA434



LAY5-BV05(ZB2-BV05)

Description	Reference
Head Of Indicator Smooth Less Attch Diffusion Function	● White LAY5-BV01
	● Green LAY5-BV03
	● Red LAY5-BV04
	● Yellow LAY5-BV05
	● Blue LAY5-BV06



LAY5-BW34(ZB2-BW34)

Description	Reference
Button With lamp Smooth Convex type	● Green LAY5-BW13
	● Red LAY5-BW14
	● Yellow LAY5-BW15
Even Button Preventing From pollution	● Green LAY5-BW33
	● Red LAY5-BW34
	● Blue LAY5-BW35
	● Blue LAY5-BW36



LAY5-BD2(ZB2-BD2)

Description	Reference
● Black	LAY5-BD2
● Black	LAY5-BD3
● Black	LAY5-BD4
● Black	LAY5-BD5



LAY5-BD2(ZB2-BD2)

Description	Reference
Selector	● Black LAY5-BJ2
Switch	● Black LAY5-BJ3
2-positions	● Black LAY5-BJ4
3-positions	● Black LAY5-BJ5
Return to centre	



LAY5-BG2(ZB2-BG2)

Description	Reference
Flush	LAY5-BG2
	LAY5-BG3
	LAY5-BG4
	LAY5-BG5



LAY5-BS14(DB2-BS142)

Description	Reference
Key ● Red	LAY5-BS14
Mushroom	
Pushbutton	




LAY5-BC4(DB2-BC4)

Description	Reference
	Mushroom
	Head
	Pushbutton
● Black φ 40	LAY5-BC24
● Green φ 40	LAY5-BC34
● Red φ 40	LAY5-BC44
● Black φ 40	LAY5-BC2
● Green φ 40	LAY5-BC3
● Red φ 40	LAY5-BC4



LAY5-BT4(ZB2-BT4)

Description	Reference
Push-	LAY5-BT4
Locked ● Red φ 40	
Mushroom	
Pushbutton	



LAY5-BL84(ZB2-BL84)

Description	Reference
Double-Head Button	LAY5-BL84
Even Button+ Convex Button	
■ Green	LAY5-BL94
■ Red	
□ White	LAY5-BL94



LAY5-BW84(ZB2-BW84)

Description	Reference
Double-Head	LAY5-BL83
With lamp	
Button	LAY5-BL84
Two Even Buttons	



LAY5-B button switches

Description	Reference		
For making up body assemblies with 3,4,5 or maximum of 6 contact blocks or replacing 1 st or and contact	N/O	Green	LAY5-BE101



LAY5-B button switches

Description	Reference		
For making up body assemblies with 3,4,5 or maximum of 6 contact blocks or replacing 1 st or and contact	N/C	Red	LAY5-BE102



LAY5-B button switches

Description	Reference		
For making up body assemblies with 3,4,5 or maximum of 6 contact blocks or replacing 1 st or and contact	N/O	Green	LAY5-BZ101
	N/O+N/O	Green	LAY5-BZ103
	N/O+N/C	Red Green	LAY5-BZ105



LAY5-B button switches

Description	Reference		
	N/C+N/C	Red	LAY5-EZ104
	N/C	Red	LAY5-EZ102



LAY5-B button switches

Description	Reference		
For making up body assemblies with 3,4,5 or maximum of 6 contact blocks or replacing 1 st or and contact	N/O	Green	LAY5-BZ101
	N/O+N/O	Green	LAY5-BZ103
	N/O+N/C	Red Green	LAY5-BZ105



LAY5-B button switches

Description	Reference		
	N/C	Red	LAY5-EZ102
	N/C+N/C	Red	LAY5-EZ104



Description Scheme	Marking	Marking on on legend push button	Type
1 green flush Pushbutton spring return	Stop	—	LAY5-B101H29
	—		LAY5-B102
	—	Stop	LAY5-B103
	—	—	LAY5-B101



Description Scheme	Marking	Marking on on legend push button	Type
1 green flush Pushbutton spring return	Stop	—	LAY5-B111H29
	—	Stop	LAY5-B114
	—	Stop	LAY5-B116
	—	—	



Description Scheme	Marking	Marking on on legend push button	Type
1 red Projectint Pushbutton spring return	N/C	— ○	LAY5-B112



Description Scheme	Marking	Marking on on legend push button	Type
1 red Mushroom Head Pushbutton 40mm spring return	N/C	Emergency dtop —	LAY5-B164H29
		— —	LAY5-B164



Description Scheme	Marking	Marking on on legend push button	Type
1 red Mushroom Head Pushbutton 40mm latching turn to release	N/C	● Red	LAY5-J174
		● Red	LAY5-J174H29



Description Scheme	Marking	Marking on on legend push button	Type
1 red Mushroom Head Pushbutton 40mm latching Key Release (Key no 445)	N/C	● Red	LAY5-J184
		● Red	LAY5-J188H29



Description Scheme	Marking	Marking on on legend push button	Type
1 selector Switch 2-position stay put standard black handle	N/O	Stop start	LAY5-B132H29
		○	LAY5-B134



Description Scheme	Marking	Marking on on legend push button	Type
1 selector Switch key Operated (Ronis key no445)		Stop start —	LAY5-B142H29
		Stop start —	LAY5-B142
2-position stay put key withdraw from left position			



Description Scheme	Marking	Marking on on legend push button	Type
2 spring Return push Button 1flush green 1flush red	N/O +	Stop start —	LAY5-B211H29
	N/C	— ○	LAY5-B213
		— Stop start	LAY5-B215



Description Scheme	Marking	Marking on on legend push button	Type
2 spring Return Pushbuttons 1 flush with (black arrow) 1 flush black (white arrow)	N/O +	— ① ②	LAY5-B222
	N/C	— ① ②	LAY5-B223



Description Scheme	Marking	Marking on on legend push button	Type
1 red pilot light, Dict supplied ≤130V Bulb not supplied+	Stop Start	—	LAY5-B361
2 spring return Pushbuttons	—	○ 	LAY5-B363
1 flush green 1 flush red	—	Stop Start	LAY5-B366



Description Scheme	Marking	Marking on on legend push button	Type
1 red pilot light, 220/250V supply direct through resistor BA9s-130V bulb supplied	Stop Start	—	LAY5-B371H29
2 spring return Pushbuttons	—	○ 	LAY5-B373
1 flush red 1 flush green	—	Stop Start	LAY5-B376



Description Scheme	Marking	Marking on on legend push button	Type
3 spring return Pushbuttons	Open Stop Close	—	LAY5-B341H29
1 flush green 1 flush red 1 flush green	—	Open Stop Close	LAY5-B341



Description Scheme	Marking	Marking on on legend push button	Type
3 spring return Pushbuttons	≡	↑ ○ ↓	LAY5-B324
1 flush green (black arrow) 1 flush red 1 flush black (white arrow)	≡	↑ ○ ↓	LAY5-B334



Description Scheme	Marking	Marking on on legend push button	Type
3 spring return Pushbuttons	≡	○ 	LAY5-B31H29 LAY5-BB39
1 flush green 1 flush red 1 flush green	Up Stop Down	≡	LAY5-B321J29




LAY5-B button switches

Description	Reference
Button box ϕ 22	LAY5-BOX1
for single ϕ 25	
Button	
IP40/IP65	



LAY5-B button switches

Description	Reference
Button box ϕ 22	LAY5-BOX2
for two ϕ 25	
buttons	
IP40/IP65	




LAY5-B button switches

Description	Reference
Button box ϕ 22	LAY5-BOX3
for three ϕ 25	
buttons	
IP40/IP65	



LAY5-B button switches

Description	Reference
Button box ϕ 22	LAY5-BOX4
for four ϕ 25	
buttons	
IP40/IP65	



LAY5-B button switches

Description	Reference
Button box ϕ 22	LAY5-BOX5
for five ϕ 25	
buttons	
IP40/IP65	



LAY5-B button switches

Description	Reference
LAY5-DB2-JOS4441P	

APPROVALS



Certificate of Approval

Addendum

Certificate No.: SAA-142030-EA
Date of Issue: 29 October 2014

Class Description: Socket-Outlet
Product Description: Switched Wall Socket Outlet

General Modification:
Auxiliary switch mechanism model 504 has been certified under SAA-142031-EA.

Additional Models:
Description:
Similar to GPOX except for addition of auxiliary switch mechanism.
GPOX:
Similar to GPOX except for one gang switched socket outlet in lieu of two models.
GPOX:
Similar to GPOX except for addition of auxiliary switch mechanism.



Certificate of Approval

Addendum

Certificate No.: SAA-142031-EA
Date of Issue: 29 October 2014

Class Description: Wall Switch
Product Description: Flush Type Single-Pole Single-Way Wall Switch

Additional Models:
Description:
Similar to S481 except for 1 gang switch in lieu of 4 gang switch.
S481:
Similar to S481 except for 2 gang switch in lieu of 4 gang switch.
S481:
Similar to S481 except for 3 gang switch in lieu of 4 gang switch.
S481:
Similar to S481 except for 4 gang switch in lieu of 4 gang switch.
S481:
Similar to S481 except for 5 gang switch in lieu of 4 gang switch.



Certificate of Approval

Addendum

Certificate No.: SAA101279EA
Date of Issue: 17 November 2010

Class Description: Socket-Outlet
Product Description: Fixed Socket-Outlet with Three Flat-Pin Apertures

General Modification:
Alternative use of trade name "CONNECTED SWITCHGEAR" and "TESLA".

Additional Models:
Description:
Similar to model 665310 except for rated (SA 250V).



Certificate of Approval

Addendum

Certificate No.: SAA101279EA
Date of Issue: 23 January 2012

Class Description: Socket-Outlet
Product Description: Fixed Socket-Outlet with Three Flat-Pin Apertures

Additional Models:
Description:
Similar to model 665310 except for model number.
Similar to model 665310 except for model number.
Similar to model 665310 except for model number.
Similar to model 665310 except for model number.



Certificate of Suitability

Certificate No.: SAA150502

Certificate Holder: Global Electrical Supplies Pty Ltd
4-8 Fernhill Street
South Granville NSW 2142

Class Description: Non-Overload
Product Description: (Electronic) relay timing relay light indicator
Brand Name: TESLA
Model No.: D4400
Markings: 220-240V~ 50Hz 1.5A
Max Pin Load: 10W
Max Load: 400W
8441°C, IP20
AS/NZS 60669-2:1(2011)
NI

Standard:
Conditions:
Approval Mark: SAA150502 or RCH
Date First Registered: 23 March 2015
Date of Expiry: 23 March 2020



Certificate of Approval

Certificate No.: SAA-142030-EA

Certificate Holder: Global Electrical Supplies Pty Ltd
4-8 Fernhill Street
South Granville NSW 2142

Class Description: Socket-Outlet
Product Description: Switched Wall Socket Outlet
Brand Name: TESLA
Model No.: GPOX
Markings: 250V~ 15A
Class I
AS/NZS 3112:2011 Inc A1-2
AS/NZS 3113:2013
AS/NZS 3190:2009 Inc A1-3
NI

Standard:
Conditions:
Approval Mark: SAA-142030-EA or RCH
Date First Registered: 29 October 2014
Date of Expiry: 29 October 2019



Certificate of Approval

Certificate No.: SAA-141427-EA
Date of Issue: 5 August 2014

Certificate Holder: Global Electrical Supplies Pty Ltd
4-8 Fernhill Street
South Granville NSW 2142

Class Description: Residual Current Device
Product Description: RCD2 - Residual Current Circuit Breaker with Integral Over-Current Protection
Brand Name: TESLA
Model No.: RCD2000H Series
Markings: L=10/24/40 (1P+N); 50/60Hz
L=6, 16, 25, 32, 40A B & C Type
L=20, 32, 40A Type-A, AC
L=4000A & 7500A L=4000A & 10000A
Energy limited Class 3
AS/NZS 61009.1:2011
NI

Standard:
Conditions:
Approval Mark: SAA-141427-EA or RCH
Date First Registered: 5 August 2014
Date of Expiry: 5 August 2019



Certificate of Approval

Certificate No.: SAA-140787-EA
Date of Issue: 26 June 2014

Certificate Holder: Wenhua Import Electric Enterprises
205, Luchuan Bldg, Luchuan Road,
Lushan Town, Wenzhou City,
Zhejiang Province 325603
P.R. China

Class Description: Wall Switch
Product Description: Fixed Switch
Brand Name: HEPOL
Model No.: HPT20
Markings: 20A, 250V
IP44
AS/NZS 2132:2013
NI

Standard:
Conditions:
Approval Mark: SAA-140787-EA or RCH
Date First Registered: 26 June 2014
Date of Expiry: 26 June 2019



Certificate of Approval

Certificate No.: SAA091144EA
Date of Issue: 18 November 2009

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC Guide 65 certifies that the electrical product described on this certificate complies with the minimum safety requirements for which the application has been made.


Certificate Holder: Tesla Electrical Components Pty Ltd
12 Blackfriar Place
Wentworth Park NSW 2164

Class Description: Residual Current Device
Product Description: RCD2
Brand Name: TESLA
Model No.: RCD2
Markings: 240V ~ 50/60Hz In=6, 16, 25, 32, 40, 50 & 63A
10kA-10000A
AS/NZS 61009.1:2004 Inc A1
NI

Standard:
Conditions:
Approval Mark: SAA091144EA
Date First Registered: 18 November 2009
Date of Expiry: 18 November 2014



Printed on behalf of
SAA Approvals Pty Ltd



3 September 2014
Via: Mr. VI
TESLA ELECTRICAL COMPONENTS
12 Blackfriar Place
WENTWORTH PARK NSW 2164
AUSTRALIA

Dear Vi,

CERTIFICATE OF APPROVAL OF ELECTRICAL EQUIPMENT

Enclosed is the Certificate of Approval in respect to your recent application for certification required by SGS Electrical Product Certification Services (EPCS).

Please take the time to check the certificate and ensure all details are correct in accordance with your application.

You are reminded that prescribed electrical equipment for which a certificate of approval has been issued is required to be clearly and visibly marked with either:
a) the required marking as specified on the certificate or
b) the regulatory compliance mark (RCM) in accordance with the conditions of use as set out in AS/NZS 4471.1.

Please note that it is a requirement that if you modify the electrical equipment in any way, you are required to notify EPCS of the details of the modification for approval. You should complete and submit form EPCS-F01, detailing the changes.

Should you have any queries, please contact myself.

Yours sincerely,

Darren McNamee
Manager - SGS Electrical Product Certification Services
SGS Systems & Services Certification Pty Ltd



3 September 2014
Via: Mr. VI
TESLA ELECTRICAL COMPONENTS
12 Blackfriar Place
WENTWORTH PARK NSW 2164
AUSTRALIA

Dear Vi,

CERTIFICATE OF APPROVAL OF ELECTRICAL EQUIPMENT

Enclosed is the Certificate of Approval in respect to your recent application for certification required by SGS Electrical Product Certification Services (EPCS).

Please take the time to check the certificate and ensure all details are correct in accordance with your application.

You are reminded that prescribed electrical equipment for which a certificate of approval has been issued is required to be clearly and visibly marked with either:
a) the required marking as specified on the certificate or
b) the regulatory compliance mark (RCM) in accordance with the conditions of use as set out in AS/NZS 4471.1.


Please note that it is a requirement that if you modify the electrical equipment in any way, you are required to notify EPCS of the details of the modification for approval. You should complete and submit form EPCS-F01, detailing the changes.

Should you have any queries, please contact myself.

Yours sincerely,

Darren McNamee
Manager - SGS Electrical Product Certification Services
SGS Systems & Services Certification Pty Ltd





Tesla

Electrical Components
switch to the **Future**

